

INSTRUMENTS/GAUGES & AUDIO/VIDEO ELECTRONICS

Antennas, Antenna Mounts & Accessories

Anderson Marine	38
Attwood	38
Boss Marine	46
Jensen	38,58
NorthStar	39
Perko	39
Sea-Dog Line	39
Seaworthy	62,63
Shakespeare	39-43
Suncor	43
Whitecap	43

Compasses

Ritchie	31,32
---------------	-------

Instruments & Gauges

Faria	26,27
Lowrance	28
Mar-Lan	28
Teleflex	28-30
T-H Marine	31

Pitots

Faria	27
Teleflex	30

Radio Covers & Housings

Boss Marine	46
C.E.Smith	48
Dual	50
Jensen	58
Poly-Planar	61,62
Seaworthy	62

Radios, Handheld

Cobra Marine	32,33
Icom	34
Lowrance	35
Uniden	37

Radios, Mounted

Cobra Marine	33,34
Garmin	36
Icom	34,35
Lowrance	35
Raymarine	36
Simrad	36
Uniden	37,38

Radio Mounting & Access.

Raymarine	38
-----------------	----

Satellite Radios

Jensen	55,56
--------------	-------

Senders

Faria	27
Teleflex	30

Stereo Receivers, CD/DVD Players, Speakers & Accessories

Ancor	43
Boss Marine	43-48
Dual	48-50
Fusion	50-53
Infinity	53,54
JBL	54,55
Jensen	55-58
Lowrance	59
Milennia	59,60
Poly-Planar	60-62
Seaworthy	62
Sea-Dog Line	62
Shakespeare	36
Simrad	63

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

INSTRUMENTS & GAUGES

Faria MARINE INSTRUMENTS

FARIA® BOXED SETS

Packaged & ready for the display counter.
Complete set of gauges ready to install.

Inboard Set: Comes with Speedometer and Pitot, Tachometer, Fuel Gauge, Voltmeter, Water Temp Gauge & Oil Pressure Gauge.

Outboard Set: Comes with Speedometer and Pitot, Tachometer, Fuel Gauge & Voltmeter.



Order #	Mfg. #	Style	Sugg.Ret.
INBOARD SETS - 6 GAUGE			
5103245	KT9799	Euro	\$240.99
5103247	KT9797	Dress White	240.99
5103249	KTF001	Chesapeake White™ SS	240.99
5103251	KTF003	Chesapeake Black™ SS	240.99
OUTBOARD SETS - 4 GAUGE			
5103246	KT9796	Euro	240.99
5103248	KT9794	Dress White	240.99
5103250	KTF002	Chesapeake White™ SS	240.99
5103252	KTF004	Chesapeake Black™ SS	240.99



FARIA® CHESAPEAKE BLACK™ SS MARINE INSTRUMENTS

Perimeter-lighted black dial. Stylish blue & white graphics. Polished SS bezel. Contoured white pointer. Domed glass lens.



Order #	Mfg. #	Type	Sugg.Ret.
CYLINDER HEAD TEMPERATURE GAUGE KIT - SENDER INCLUDED			
5103241	13706	60°-220°F	\$47.99
FUEL GAUGE			
5101960	13701	E-1/2-F	53.99
HOURLMETER			
5101967	13713	10,000 hrs., 12-32 vDC	89.99
OIL PRESSURE GAUGE			
5101961	13702	80 PSI	53.99
SPEEDOMETERS			
5103239	33703	35 MPH	60.99
5101959	33704	60 MPH	85.99
5103240	33705	80 MPH	60.99
TACHOMETERS			
5101957	33710	6000 RPM	158.99
5101958	33718	7000 RPM	158.99
TRIM GAUGE			
5101964	13707	For Mercury/Mariner OB, Mercruiser, Volvo DP & Yamaha '01 & Newer	53.99
5101965	13709	For OMC Outboard	53.99
VOLTMETER			
5101966	13705	10-16 Volt	53.99
WATER PRESSURE GAUGE KIT			
5101962	13712	30 PSI	87.99
WATER TEMP GAUGE			
5101963	13704	100°-250°	53.99



FARIA® CHESAPEAKE WHITE™ SS MARINE INSTRUMENTS

Perimeter-lighted white dial. Stylish blue & black graphics. Polished SS bezel. Contoured black pointer, and domed glass lens.

Order #	Mfg. #	Type	Sugg.Ret.
FUEL GAUGE			
5101972	13801	E-1/2-F	\$53.99
HOURLMETER			
5101979	13813	10,000 hrs., 12-32 vDC	90.99
OIL PRESSURE GAUGE			
5101973	13802	80 PSI	53.99
SPEEDOMETERS			
5103243	33810	35 MPH	63.99
5101971	33811	55 MPH	85.99
5103244	33819	80 MPH	60.99
TACHOMETERS			
5101969	33807	6000 RPM	166.99
5101970	33817	7000 RPM	166.99
TRIM GAUGE			
5101976	13807	For Mercury/Mariner OB, Mercruiser, Volvo DP & Yamaha '01 & Newer	53.99
5101977	13809	For OMC Outboard	53.99
VOLTMETER			
5101978	13805	10-16 vDC	53.99
WATER PRESSURE GAUGE KIT			
5101974	13812	30 PSI	87.99
WATER TEMP GAUGE			
5101975	13804	100°-250°	53.99

FARIA® CORAL SERIES MARINE INSTRUMENTS

Perimeter-lighted black dial. Stylish blue & white graphics. Black aluminum bezel with burnished edge. Contoured white pointer. Flat glass lens. American & metric scales & icons.



Order #	Mfg. #	Type	Sugg.Ret.
CYLINDER HEAD TEMPERATURE GAUGE KIT - SENDER INCLUDED			
5101028	13009	60-220°F, all water-cooled O/Bs	\$54.99
FUEL LEVEL FOR AMERICAN SENDING UNIT			
5100837	13001	Empty-Full	41.99
HOURLMETER			
5100838	13013	10,000 hrs., 12-32 vDC	80.99
OIL PRESSURE GAUGE			
5102308	13002	80 PSI	29.99
SPEEDOMETER			
5103234	33008	35 MPH	46.99
5100836	33009	55 MPH	65.99
5103235	33010	80 MPH	46.99
TACHOMETERS			
FOR 4, 6, 8 CYLINDER GAS INBOARD & I/O'S			
5100834	33004	0-6000RPM	128.99
TACHOMETER 7000 UNIVERSAL FOR ALL OUTBOARD			
5100835	33005	0-7000 RPM	128.99
TRIM GAUGE			
5100841	13017	For Mercury/Mariner OB, Mercruiser, Volvo DP & Yamaha EST Stern Drives	41.99
5103238	13016	J/E, Suzuki outboard	29.99
VOLTMETER			
5100895	13010	10-16 volts DC. Indicates full battery range	41.99
WATER TEMP GAUGE			
5103236	13004	100°-250°	28.99

Faria MARINE INSTRUMENTS

FARIA® EURO SERIES MARINE INSTRUMENTS

Perimeter-lighted black dial.

Bold white graphics. Black aluminum bezel. Contoured white pointer. Flat glass lens. American & metric scales w/icons.



Order #	Mfg. #	Type	Sugg.Ret.
CYLINDER HEAD TEMP. GAUGE KIT - SENDER INCLUDED			
5100863	12819	60-220° - All water-cooled O/Bs	\$54.99
FUEL LEVEL FOR AMERICAN SENDING UNIT			
5100845	12801	Empty-Full	41.99
HOURLY METER - 0 TO 10,000 HRS.			
5100846	12824	12-32V; not illuminated	80.99
OIL PRESSURE FOR AMERICAN SENDING UNIT			
5100847	12803	0-80 PSI	41.99
SPEEDOMETER			
5100855	32808	35 MPH	65.99
5100844	32810	55 MPH	65.99
5103233	32812	80 MPH	46.99
TACHOMETERS			
FOR 4, 6, 8 CYLINDER GAS INBOARD & I/O'S			
5100842	32804	0-6000 RPM	128.99
TACHOMETER 7000 UNIVERSAL FOR ALL OUTBOARD			
5100843	32805	0-7000 RPM	128.99
TRIM GAUGE			
5102426	12827-2	OMC Outboards	41.99
5100849	12828	For Mercury/Mariner OB, Mercruiser, Volvo DP & Yamaha EST Stern Drives	41.99
VOLTMETER			
5100898	12821	10-16 volts DC. Indicates full battery range	41.99
WATER PRESSURE GAUGE KIT			
5100897	12810	30 PSI. For water-cooled O/B motors. Includes installation kit	81.99
WATER TEMPERATURE FOR AMERICAN SENDING UNIT			
5100848	12812	100-250°F	39.99



FARIA® DRESS WHITE SERIES MARINE INSTRUMENTS

Perimeter-lighted white dial w/bold black graphics. Features black pointer & white powder coated aluminum bezel.

Order #	Mfg. #	Type	Sugg.Ret.
HOURLY METER			
5103134	13121	10,000 hrs., 12-32 vDC, 2"	\$80.99
LEVEL GAUGE			
5103127	13101	Fuel, Empty - 1/2 - Full, 2"	43.99
PRESSURE GAUGE			
5103128	13102	Oil, 80 PSI, 2"	43.99
PRESSURE GAUGE KIT			
5103129	13108	Water, 30 PSI, 2"	83.99
SPEEDOMETERS - MECHANICAL			
5103231	33122	35 MPH, 4"	47.99
5103126	33112	55 MPH, 4"	66.99
5103232	33113	80 MPH, 4"	47.99
TACHOMETER			
5103124	33103	Tach 6000 gas inboard & I/O Engines, 4"	130.99
5103125	33104	Tach 7000 Universal For ALL Outboard, 4"	130.99
TEMPERATURE GAUGE			
5103130	13110	100° - 250°F, 2"	43.99
TRIM GAUGE			
5103132	13122	Mercury, Mariner, Mercruiser, Volvo DP, & Post Yamaha '01, 2"	43.99
5103133	13123	OMC Outboard, 2"	43.99
VOLTMETER			
5103131	13120	10-16 vDC, 2"	43.99

FARIA® FUEL MANAGER

Oversized back-lit display for easy read fuel management. Displays fuel low in gallons or liters per hour & total or trip fuel used. Calculates fuel remaining. Includes selectable low fuel alarm. Easy to install. Includes In-line sensor.



Order #	Mfg. #	Style	Sugg.Ret.
5103258	FFM027	Euro Black Series & Chesapeake Black	\$238.99
5103259	FFM024	Chesapeake White SS Series	238.99
5103260	FFM025	Chesapeake Black SS Series	238.99

FARIA® DEPTH SOUNDER

Depth range to 199'. Reads depth in meters, fathoms, and feet. Oversized backlit display. Keel Off-set, Shallow, and Deep Water alarms. Audio and visual alarms. Styles to match other Faria® instruments & gauges.



Order #	Mfg. #	Style	Sugg.Ret.
TRANSOM MOUNTED TRANSDUCER			
5024989	12850	Euro	\$105.99
5024993	13750	Chesapeake Black SS	105.99
5024996	13850	Chesapeake White SS	105.99
IN HULL TRANSDUCER			
5024990	12851	Euro	122.99
5103242	13751	Chesapeake Black SS	122.99
5024997	13851	Chesapeake White SS	122.99
WITH AMBIENT AIR TEMP./WATER TEMPERATURE			
5024995	13752	Chesapeake Black SS	153.99
5024998	13852	Chesapeake White SS	153.99

FARIA® TEMPERATURE SENDER

Order #	Mfg. #	Style	Size	Sugg.Ret.
5103253	90401	American Single Standard	1/8"	\$10.99
5103254	90402	American Single Standard	1/4"	12.99
5103255	90403	American Single Standard	3/8"	15.99
5103256	90404	American Single Standard	1/2"	17.99

FARIA® OIL PRESSURE SENDER

1/8" NPTF. American 80 PSI. Single standard.

Order #	Mfg. #	Sugg.Ret.
5103257	90512	\$35.99

FARIA® DIESEL TACHOMETER SENDER

Generates signal by coupling to mechanical takeoff on engine. Complete w/swivel adapter assembly.

Order #	Mfg. #	Sugg.Ret.
5102417	90901	\$80.99

FARIA® PITOT KITS

Universal pitot tube assembly kit. Includes: transom mount speedometer pickup, escutcheon plate & mounting hardware.

Order #	Mfg. #	Type	Sugg.Ret.
5101030	91109	w/o Tubing	\$15.99
5101031	91106	w/20' Tubing	23.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
Motors**LOWRANCE®**

Seize the Day

**LOWRANCE®****LMF-400 MULTI-FUNCTION GAUGE**

Advanced multi-function, high-contrast round dot matrix gauge displaying graphic and numerical digital data w/LED backlighting. NMEA 2000® data communications certified, and connect within an affordable, high-performance LowranceNET® network to display real-time readings from an array of compatible electronic probes (E.P.s), like fluid level, temp, speed, and more. Compact size fits 3-3/8" diameter hole.

Order #	Mfg. #	Sugg.Ret.
5025212	49-541	\$218.99

MARLAN INDUSTRIES**MAR-LAN
INSTRUMENT HOLE COVERS**

Attractive cover leaves option for a gauge to be added or covers up where one was removed. Includes: backup bracket & #8 stainless steel screws. Color: Black.



Order #	Mfg. #	Size	Sugg.Ret.
5101834	5300-01C	2"	\$4.99
5101835	5301-01C	3-1/2"	5.99

Teleflex®
MARINE**TELEFLEX®
ARCTIC SERIES**

Scratch-resistant domed glass lenses. Enhanced illumination: through-dial and perimeter lighting for excellent readability at night. Stylish white bezel design. Black on white graphics. U.S. and metric scales with ISO symbols, where appropriate.



Order #	Mfg. #	Style	Sugg.Ret.
AMMETER			
5103010	68364P	2", 60-0-60	\$41.99
FUEL LEVEL GAUGE			
5103011	68365P	2" E-F	41.99
HOURLMETER			
5103012	68366P	2", 10,000 hrs.	77.99
INSTRUMENT SET "OUTBOARD"			
5103026	68387P	4 Gauge Set	248.99
INSTRUMENT SET "INBOARD/STERNDRIIVE"			
5103027	68388P	6 Gauge Set	318.99
OIL PRESSURE GAUGE			
5103013	68367P	2", 0-80 PSI	39.99
O/B WATER PRESSURE KIT			
5103015	68369P	2" 0-40 PSI	88.99
O/B WATER TEMP KIT (COLD-HOT) - INCLUDES "J"			
5103019	68377P	2", 100-220°F	88.99
SPEEDOMETER KIT			
5103016	68371P	3", 10-65 MPH	84.99
SYSTEM CHECK			
5103024	68385P	Evinrude/Johnson	158.99
5103025	68386P	Suzuki	123.99
TACHOMETER			
5103017	68374P	3" 0-7000 RPM	113.99
TRIM INDICATORS			
5103020	68378P	2", Evinrude/Johnson O/B	41.99
5103021	68379P	2", Honda	113.99
5103022	68380P	2", Mariner/Merc. Yamaha 2001	41.99
VOLTMETER			
5103023	68383P	8-18 Volt (12V)	41.99
WATER TEMPERATURE GAUGE - I/O, IB			
5103018	68376P	2", 120°-240°F	39.99

**TELEFLEX®
ECLIPSE SERIES**

Scratch-resistant domed glass lenses. Perimeter lighting for excellent readability at night. Smart white & blue graphics on a black dial background. Very low profile bezels follow the curve of the lens to eliminate water trapping. U.S. and metric scales with ISO symbols, where appropriate.

Order #	Mfg. #	Style	Sugg.Ret.
AMMETER			
5103028	68389P	2", 60-0-60	\$41.99
FUEL LEVEL GAUGE			
5103029	68390P	2", E-F	41.99
HOURLMETER			
5103030	68391P	2", 10,000 hrs.	77.99
INSTRUMENT SET "OUTBOARD"			
5103044	68412P	4 Gauge Set	248.99
INSTRUMENT SET "INBOARD/STERNDRIIVE"			
5103045	68413P	6 Gauge Set	318.99
OIL PRESSURE GAUGE			
5103031	68392P	2", 0-80 PSI	39.99
O/B WATER PRESSURE KIT			
5103032	68394P	2" 0-40 PSI	88.99
O/B WATER TEMP KIT (COLD-HOT) - INCLUDES "J"			
5103036	68402P	2", 100-220°F	88.99
SPEEDOMETER KIT			
5103033	68396P	3", 10-65 MPH	84.99
SYSTEM CHECK			
5103042	68410P	Evinrude/Johnson	158.99
5103043	68411P	Suzuki	123.99
TACHOMETER			
5103034	68399P	3" 0-7000 RPM	113.99
TRIM INDICATORS			
5103037	68403P	2", Evinrude/Johnson O/B	41.99
5103038	68404P	2", Honda	113.99
5103039	68405P	2", Mariner/Merc. Yamaha 2001	41.99
5103040	68406P	2", Yamaha O/B pre 2001	41.99
VOLTMETER			
5103041	68408P	8-18 Volt (12V)	41.99
WATER TEMPERATURE GAUGE - I/O, IB			
5103035	68401P	2", 120°-240°F	39.99

**TELEFLEX®
SIGNATURE SERIES
BLACK STERLING**

Scratch-resistant domed glass lens. Perimeter lit dial. Elite SS bezel. White graphics & black background on spun aluminum dial. Black pointer w/fire-orange tip. Fits most stern drive & outboard applications.

Order #	Mfg. #	Style	Sugg.Ret.
FUEL LEVEL GAUGE			
5102858	67021P	2" E-1/2-F	\$42.99
O/B WATER PRESSURE KIT			
5102863	67382P	2" 0-40 PSI	93.99
OIL PRESSURE GAUGE			
5102859	67022P	2" 0-80 PSI	42.99
SPEEDOMETER KIT			
5102861	67285P	3" 0-70 MPH	92.99
TACHOMETER: O/B & 4 CYCLE GAS			
5102862	67363P	3" 0-7000 RPM	118.99
TRIM INDICATORS			
5102860	67023P	2" Mariner/Mercury Yamaha, 2001 to date	42.99
VOLTMETER			
5102856	67019P	8-18 Volt (12V)	41.99
WATER TEMPERATURE GAUGE - ELECTRIC			
5102857	67020P	2" 100°-240°F	42.99

Teleflex®

MARINE



TELEFLEX® SIGNATURE SERIES GOLD STERLING

Scratch-resistant domed glass lens. Elite SS bezel. Black & Gold graphics on spun background aluminum dial. White pointer. Perimeter blue lighting. Fits most stern drive & outboard applications.

Order #	Mfg. #	Style	Sugg.Ret.
FUEL LEVEL GAUGE			
5102864	67101P	2" E-1/2-F	\$42.99
OIL PRESSURE GAUGE			
5102867	67014P	2" 0-80 PSI	42.99
SPEEDOMETER KIT			
5102869	67106P	3" 0-60 MPH	92.99
TACHOMETER: O/B & 4 CYCLE GAS			
5102870	67107P	3" 0-6000 RPM	118.99
TRIM INDICATORS			
5102866	67103P	2" Mariner/Mercury Yamaha, 2001 to date	42.99
5102871	67175P	2" Evinrude/Johnson Suzuki 4-Stroke 2002 to Date	42.99
VOLTMETER			
5102865	67012P	8-18 Volt (12V)	41.99
WATER TEMPERATURE GAUGE - ELECTRIC			
5102868	67105P	2" 100°-240°F	42.99

TELEFLEX® SIGNATURE SERIES SAHARA

Black graphics on tan dial background, light red at night. Very low-profile bezel follows curve of lens to eliminate water "trapping". Black pointers with fire-orange tip. Perimeter & through-dial lighting for night visibility. Black matte, near-flush bezel.



Order #	Mfg. #	Style	Sugg.Ret.
FUEL GAUGE			
5102076	59707P	240-33 OHM	\$42.99
OIL PRESSURE GAUGE			
5102074	59705P	0-80 PSI	42.99
SPEEDOMETER KIT			
5102073	59704P	65 MPH	92.99
SYSTEM CHECK GAUGE			
5102348	66956P	2", Evinrude	159.99
TACHOMETER, O/B ALT & 4-CYCLE			
5102072	59703P	7000 RPM's	119.99
TRIM GAUGE			
5102078	59709P	Mariner/Merc, Volvo DP/SX Yamaha 2001 & on	42.99
5102079	61908P	J/E, Suzuki 4-stroke 2001 & on	42.99
5102080	62369P	Honda	119.99
VOLTMETER			
5102077	59708P	8-18V	41.99
WATER PRESSURE GAUGE, OUTBOARD			
5102085	61870P	30 PSI	92.99
WATER TEMPERATURE GAUGE			
5102075	59706P	Stern Drive/Inboard	42.99

TELEFLEX® SIGNATURE SERIES LIDO INSTRUMENTS

Black graphics on a white dial background. Polished stainless steel bezels follow curvature of the lens to eliminate water "trapping". Pointers are black w/fire-orange tip. Perimeter & through-dial lighting is provided for night visibility-dial back lights red. Domed glass convex lenses are scratch resistant.



Order #	Mfg. #	Style	Sugg.Ret.
FUEL GAUGE			
5102093	65496P	240-33 OHM	\$42.99
HOURLY METER			
5102129	65497P	10,000 hrs., 12-24 VDC	79.99

Order #	Mfg. #	Style	Sugg.Ret.
OIL PRESSURE GAUGE			
5102095	65501P	0-80 PSI	42.99
SPEEDOMETER KIT			
5102091	65510P	65 MPH	92.99
TACHOMETER: SYSTEMS CHECK-EVINRUDE/JOHNSON			
5102347	64477FP	7000 RPM	334.99
TACHOMETER, O/B ALT & 4-CYCLE			
5102090	65693P	7000 RPM	118.99
TRIM GAUGE			
5102128	65504P	Mar/Merc., Volvo DP/SX, Yam 01, Lido2	42.99
VOLTMETER			
5102092	65506P	8-18V	41.99
WATER PRESSURE GAUGE, OUTBOARD			
5102094	65507P	30 PSI	93.99
WATER TEMPERATURE GAUGE			
5102096	65509P	Stern Drive/Inboard	42.99
SPEEDO KIT - LOW SPEED RANGE			
5103152	61751P	Pitot Type, 5-35MPH), G (Included)	92.99
5103153	61751PH	Head Only, (5-35MPH), G (Included)	81.99

TELEFLEX® SIGNATURE SERIES AMEGA

White & red graphics on a black dial background. Very low profile bezels follow the curve of the lens to eliminate water "trapping". Pointers are white w/black hub. Thru-dial & perimeter lighting provides excellent night visibility. Conventional mounted.



Order #	Mfg. #	Style	Sugg.Ret.
AMMETER			
5103005	68356P	2", 60-0-60	\$41.99
12V BATTERY CONDITION INDICATOR			
5103007	68361P	2"	41.99
FUEL GAUGE			
5102084	57902P	240-33 OHM	41.99
HOURLY METER			
5102089	84760P	12-24VDC	78.99
INSTRUMENT SET "OUTBOARD"			
5103008	68362P	4 Gauge Set	248.99
INSTRUMENT SET "INBOARD/STERNDRIVE"			
5103009	68363P	6 Gauge Set	318.99
OIL PRESSURE GAUGE			
5102087	57903P	0-80 PSI	39.99
SPEEDOMETER KIT			
5102082	57900P	65 MPH	84.99
SYSTEM CHECK GAUGE			
5102344	65205P		158.99
TACHOMETER, O/B ALT & 4-CYCLE			
5102081	58255P	7000 RPM	113.99
TACH/HOURLY METER, PETROL/GAS w/LCD DISPLAY			
5103265	68443P	7000 RPM	183.99
TACHOMETER, SYSTEMS CHECK-EVINRUDE/JOHNSON			
5102343	58935P	7000 RPM's	299.99
TRIM			
5103006	68359P	Honda, 2", Up/Down	113.99
5103155	61748	Evinrude/Johnson O/B 2", Up/Down	41.99
5103156	57905P	Mariner/Merc, Yamaha 2001, 2", Up/Down	41.99
VOLTMETER			
5102083	57901P	8-18V	41.99
WARNING LIGHT GAUGE			
5102345	65668BMDP		123.99
WATER PRESSURE GAUGE, OUTBOARD			
5102086	61238P	30 PSI	88.99
WATER TEMPERATURE GAUGE			
5102088	57904P	Stern Drive/Inboard	39.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Teleflex® MARINE



TELEFLEX® PREMIER PRO SERIES

Fog-free design. Crisp modern look. Black dial with white & blue graphics that back-light red at night. When illuminated, advanced light piping distributes light across dial & into pointer staff for excellent night readability with no "halo" around dial.

Order #	Mfg. #	Style	Sugg.Ret.
FUEL GAUGE			
5101629	62718P	E-1/2-F	\$64.99
HOURMETER			
5101631	62719P	10,000 hrs.	104.99
SPEEDOMETER			
5101637	62722P	65 MPH (Pitot type)	134.99
5101640	62723P	80 MPH (Pitot type)	134.99
TACHOMETER			
5101641	62725P	O/B & 4-stroke gas, 8000RPM	143.99
5101816	62724P	O/B & 4-stroke gas, 6000RPM	143.99
TRIM GAUGE			
5101643	62726P	Evinrude/Johnson O/B's	65.99
5101645	62727P	Mariner/Mer/Cobra/Volvo DP,SX	65.99
5101647	62728P	Yamaha O/B's	65.99
WATER PRESSURE KIT-INCLUDES FITTINGS & 20' TUBING			
5101635	62721P	30 psi, O/B	109.99
WATER TEMP KIT			
5101619	62748P	Cold/hot, for all electric/start O/B's	92.99



TELEFLEX® RED INTERNATIONAL SERIES HIGH PROFILE

Easy-to-read graphics. Perimeter lighting. Proven vector movement for accuracy and durability. American & metric scales with icons.

Order #	Mfg. #	Style	Sugg.Ret.
AMMETERS			
5100965	53930P	Direct Reading 60-0-60A	\$38.99
OIL PRESSURE GAUGE			
5100340	53214P	80 PSI	36.99
SPEEDOMETER KITS			
5100336	53210P	60 MPH	71.99
5100337	53211P	80 MPH	71.99
TRIM INDICATORS			
5100354	53721P	Johnson/Evinrude Outboards	36.99



TELEFLEX® SPORTSMAN SERIES GAUGES

Euro graphics on white dial face. White bezels. Flat lenses. Black pointer with fire-orange tip. Perimeter lighting. Rotated graphics place optimum operating ranges at top of gauge. Scratch-resistant glass lens with low lip. Drop-in replacement for most white O.E.M. gauges.

Order #	Mfg. #	Style	Sugg.Ret.
OIL PRESSURE GAUGE			
5100608	67180P	0-80 PSI	\$36.99
SPEEDOMETER KITS			
5100614	67513P	10-65 MPH Pitot Type	71.99
WATER TEMPERATURE KIT			
5100879	67625P	All Electric Start O/B's Dial Range: Cold - Hot	59.99

TELEFLEX® VECTOR SERIES GAUGES

Blue & white graphics on charcoal background. Black bezel & retainer. White pointer. Reverse polarity protection, perimeter lighting. Complete line of matching senders. Scratch-resistant flat glass lens.



Order #	Mfg. #	Style	Sugg.Ret.
SPEEDOMETER			
5100549	56964P	5-35 MPH	\$71.99
TACHOMETER/HOURMETER			
5100731	57649P	All 4 Cycle gas I/B's, I/O's, & O/B's (Alternator) (Except Force 20 Pole)	174.99

TELEFLEX® UNIVERSAL HOURMETERS


Universal application. Classic styling. Blends into any dash or engine compartment. Tracks engine operating hours for routine maintenance. Unlighted.



Order #	Mfg. #	Style	Sugg.Ret.
5100550	56966P	Round	\$66.99
5100551	56967P	Rectangular	66.99

TELEFLEX® UNIVERSAL FUEL SENDER KITS

Adjustable float arm & U-channel fits most tanks 4-24" in depth. 240-33 ohm resistance range. Sender: Made of nonferrous materials. Suitable for isolated or common ground systems. Straight SS float arm adjusts without bending in tank depths greater than 6°. Injection-molded terminals. Includes: gaskets & mounting screws. Fuel gauge/sender kits: Includes: P/N 81150 heavy-duty gauge with classic white-on-black dial face & low-profile bezel. Display packaged.



Order #	Mfg. #	Style	Sugg.Ret.
5100548	56948P	Fuel Gauge/Sender Kit	\$91.99

TELEFLEX® SPEEDOMETER TUBING

100 ft. coil of tubing for Speedometers up to 80 MPH.

Order #	Mfg. #	Sugg.Ret.
5100632	56353P	\$49.99

TELEFLEX® TACHOMETER WIRING HARNESS

Permits fast installation of tach. BIA color-coded harness. Eliminates field wiring problems.



Order #	Mfg. #	For	Sugg.Ret.
5100404	IH15105	Mercury	\$71.99

TELEFLEX® PAIL O' PITOTS


Universal pitots replace almost any brand without drilling new holes. Automatic kick-up feature to prevent transom damage. Can be used with any pressure driven speeds up to 80 MPH. 12 per pail.



Order #	Mfg. #	Sugg.Ret.
5101026	59677P	\$114.99

TELEFLEX® UNIVERSAL PITOT TUBE ASSEMBLY

Order #	Mfg. #	For	Sugg.Ret.
5100362	56973P	Up to 80 MPH	\$13.99





T-H MARINE GAUGE KIT for HYDRO-JACKER™ JACKS

Safe & convenient position indicator. Dash mount gauge & toggle switch. Weather proof. Fits all Hydro-Jacker™ models.

Order #	Mfg. #	Sugg.Ret.
6217628	6077	\$255.99



COMPASSES

RITCHIE® NAVIGATION

RITCHIE® TR 31 TREK SERIES BRACKET MOUNT

Ideal for power boats up to 20', cars, trucks, RV's & ATV's. Direct reading dial w/large numerals. Strong directive force magnets & composite dial for fast performance. Built-in compensators to correct for deviation. Extra large diaphragm & rugged construction provide extended operating temperature range. Built-in 12V Green NiteVu lighting. 5-year warranty.

Order #	Mfg. #	Dial Size	Color/Dial	Sugg.Ret.
5102334	TR-31	2-1/4"	Black w/Black	\$48.99
5102335	TR-31G	2-1/4"	Gray w/Blue	48.99
5103469	TR-31S	2-1/4"	Shadow Grass/Blk.	48.99



RITCHIE® TR 33 TREK SERIES SURFACE MOUNT

Ideal for power boats up to 20', cars, trucks, RV's & ATV's. Direct reading dial w/large numerals. Strong directive force magnets & composite dial for fast performance. Built-in compensators to correct for deviation. Extra large diaphragm & rugged construction provide extended operating temperature range. High-impact rubber accent strip. Built-in 12V Green NiteVu lighting. 5-year warranty.

Order #	Mfg. #	Dial Size	Color/Dial	Sugg.Ret.
5102337	TR-33G	2-1/4"	Gray w/ Blue	\$48.99
5102338	TR-33W-CLM	2-1/4"	White w/White	48.99



RITCHIE® TR 35 TREK SERIES FLUSH MOUNT

Ideal for power boats up to 20'. Direct reading dial w/large numerals. Strong directive force magnets & composite dial for fast performance. Built-in compensators to correct for deviation. Extra large diaphragm & rugged construction provide extended operating temperature range. Built-in 12V Green NiteVu lighting. 5-year warranty.

Order #	Mfg. #	Dial Size	Color/Dial	Sugg.Ret.
5102339	TR-35	2-1/4"	Black / Black	\$48.99
5102340	TR-35G-CLM	2-1/4"	Gray w/Blue	48.99
5102342	TR-35W	2-1/4"	White w/White	48.99



RITCHIE® EXPLORER™ DECK & FLUSH MOUNT

Low-profile design. For small to mid-sized power boats. Direct-reading dial. Internal green night illumination. Movable sun shield. 3-year warranty. NOTE: Deck mount features built-in compensators to easily adjust for deviation.

Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5100108	D-55	2-3/4"	Deck	Black	\$88.99
5100468	F-50	2-3/4"	Flush	Black	88.99
5100591	F-50W	2-3/4"	Flush	White	88.99



RITCHIE® EXPLORER™ -BRACKET MOUNT

Direct-reading dial. Adjustable & removable with bracket & thumbscrews. Internal green night illumination. Built-in compensators easily adjust for deviation. Movable sun shield. 3-year warranty.

Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5100107	B-51	2-3/4"	Bracket	Black	\$86.99
5100590	B-51-G	2-3/4"	Bracket	Gray	86.99



RITCHIE® EXPLORER™ -DASH MOUNT

Easily installed. Fits 3" instrument hole. Bezels styled to match popular gauge packages. Adjustable 45° to match dash angles. Built-in NiteVu lighting. Built-in compensators adjust for deviation. Hi-temp construction. 3-year warranty.

Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5100469	V-57.2	2-3/4"	Dash	Black	\$93.99
5100589	V-57W.2	2-3/4"	Dash	White	93.99



RITCHIE® EXPLORER™ -SURFACE MOUNT

Direct-reading dial. Compact, low-profile design. Quick push-button removal for storage, security. Built-in green night illumination. Built-in compensators for easy deviation adjustment. Movable sun shield. 3-year warranty.

Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5100520	S-53	2-3/4"	Surface	Black	\$86.99
5100990	S53G	2-3/4"	Surface	Gray	87.99
5101568	S-53W	2-3/4"	Surface	White	86.99



RITCHIE® RITCHIEANGLER®

Direct-reading dial. Distinctive RitchieAngler® graphics. Internal green night lighting. Built-in compensators easily adjust for deviation. Movable sun shield. 3-year warranty.

Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5100471	RA-91	2-3/4"	Bracket	Gray	\$87.99
5100521	RA-93	2-3/4"	Surface	Gray	86.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

RITCHIE® NAVIGATION

RITCHIE® RITCHIESPORT®

Direct-reading dial. Easy-to-install. Reversible brackets adjusts through 300°. Internal green night illumination. Built-in compensators. 2-sided, self-adhesive mounting pads included.



Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5100461	X-10-M	2" Blue	Bracket	Black	\$44.99
5101741	X-10B-M	2" Black	Bracket	Black	44.99
5101742	X-10W-M	2" White	Bracket	White	44.99

RITCHIE® RITCHIESPORT® DASH MOUNT

Ideal for power boats up to 16'. 2" direct reading dial. Adjustable to 30° to match dash angles. Dash mounting hole 2-1/16". Built-in 12V Green NiteVu™ lighting. 5-year warranty.



Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5102420	X-21BB	2" Black	Dash	Black	\$50.99
5102421	X-21BU	2" Blue	Dash	Black	50.99
5102419	X-21WW	2" White	Dash	White	50.99

RITCHIE® VOYAGER®-FLUSH MOUNTS

Direct-reading dial. Compact, low-profile design. Built-in green night illumination. Built-in compensators for easy deviation adjustment. Movable sun shield. 3-year warranty.



Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5102341	F-83	3" CombiDamp	Flush	Black	\$123.99

RITCHIE® VOYAGER®-SURFACE MOUNTS

Direct-reading dial. Compact, low-profile design. Built-in green night illumination. Built-in compensators for easy deviation adjustment. Movable sun shield. 3-year warranty.



Order #	Mfg. #	Dial Size	Mount	Color	Sugg.Ret.
5101559	S-87	3" CombiDamp	Surface	Black	\$187.99
5101562	S-87W	3" CombiDamp	Surface	White	187.99

RITCHIE® SPORTABOUT™

Direct-reading dial. Silicon impact-resistant case with neck lanyard. Compact size. QuickSight™ v-notch & lubber line for easy heading alignment. Non-electric chem stick provide 18 hours of night lighting.



Order #	Mfg. #	Dial Size	Style	Color	Sugg.Ret.
5100754	X-11-Y	2"	Hand Bearing	Yellow	\$52.99

VHF/UHF, CB, FRS RADIOS & ACCESSORIES



COBRA MARINE™ MR F300 BT WATERPROOF HANDSET w/BLUETOOTH® WIRELESS TECHNOLOGY

Ergonomical Easygrip™ design, noise canceling mic for crystal clear communication. Meets JIS7 standards. Powerful speaker and large dot matrix display w/high day and night visibility. MicroBlue™ technology included to enable boaters to have Loud & Clear non-emergency communications while underway. Pairs up w/8 different mobile phones via Bluetooth technology. Connects to boats 12V DC power system. Backlit blue buttons and display. 10 ringtones included. Caller ID and call log. Waterproof deck connector. USB upgradeable. Optional VOX. One-touch redial.



Order #	Mfg. #	Sugg.Ret.
5102947	MR F300 BT	\$99.99
5103055	12 VOLT ADAPTOR CM140-002	19.99

COBRA MARINE™ MR HH330 FLT FLOATING HANDHELD RADIO

Floating design & orange core makes retrieving radio easy if dropped overboard. Select between 1, 3 and 6 Watts for short & long range communication. Instant access to All Hazards & weather information, 24 hours a day. Alerts w/audible tone & visual alarm if threatening weather is nearby. Noise-canceling microphone blocks background noise for clearer conversations. BURP: vibrates water out of the speaker grill & improves speaker performance. External speaker/microphone jack. Instant access to channel 16 for emergency situations. Unlimited memory channels. Tri-Watch monitors 3 channels at once. Button/Key lock eliminates accidental change of settings. Battery tray w/charge contacts allows charging of batteries in unit. Illuminated function keys & LCD screen. Spring loaded belt clip. NiMH batteries, charging cradle, AC and DC chargers included.



Order #	Mfg. #	Sugg.Ret.
5103098	MR HH330 FLT	\$129.99

new

COBRA MARINE™ MR HH350 FLT FLOATING HANDHELD RADIO

Floating design & orange core makes retrieving radio easy if dropped overboard. Select between 1, 3 and 6 Watts for short & long range communication. Instant access to All Hazards & weather information, 24 hours a day. Noise-canceling microphone blocks background noise for clearer conversations. BURP: vibrates water out of the speaker grill & improves speaker performance. Submersible to JIS-7 standards. 3-year warranty.



Order #	Mfg. #	Sugg.Ret.
5103477	MRHH350FLT	\$99.99



**COBRA MARINE™
MR HH475 FLT BT
FLOATING HANDHELD RADIO
w/BLUETOOTH® TECHNOLOGY**

Bluetooth® wireless technology allows you to keep your cell phone safe & dry by pairing it to the radio. Rewind-Say-Again™ feature lets you replay missed VHF calls. Floating design & orange core makes retrieving radio easy if dropped overboard. Select between 1, 3 and 6 Watts for short & long range communication. Instant access to All Hazards & weather information, 24 hours a day. Alerts w/audible tone & visual alarm if threatening weather is nearby. Noise-canceling microphone blocks background noise for clearer conversations. BURP: vibrates water out of the speaker grill & improves speaker performance. External speaker/microphone jack. Instant access to channel 16 for emergency situations. Unlimited memory channels. Tri-Watch monitors 3 channels at once. Button/Key lock eliminates accidental change of settings. Battery tray w/charge contacts allows charging of batteries in unit. Illuminated function keys & LCD screen. Spring loaded belt clip. NiMH batteries, charging cradle, AC and DC chargers included. Alkaline battery tray for use as a spare back up. Uses 6 high quality alkaline batteries (not included).

Order #	Mfg. #	Sugg.Ret.
5103099	MR HH475 FLT BT	\$179.99



**COBRA MARINE™
MR HH325 VP HANDHELD RADIO**

Single Pack. Selectable 1, 3 or 5 watts of power. Submersible to JIS7 standards. External speaker/mic jack. Tri-watch & unlimited memory channels. All NOAA/ weather channels included. NOAA weather/all hazards alert. Large illuminated display. Signal strength meter. Illuminated function keys. Instant channel 16/9. Spring loaded belt clip. NiMH batteries, charging cradle, AC and DC chargers included.

Order #	Mfg. #	Sugg.Ret.
5102498	MRHH325VP	\$109.99



**COBRA MARINE™
MR HH425LI VP HANDHELD RADIO**

Single Pack. Selectable 1, 3 or 5* watts of power. Combination VHF/GMRS. Total of 1815 privacy combinations. Rewind-Say-Again™ Digital Voice Recording feature. LiON polymer battery. Submersible to JIS7 standards. External speaker/mic jack. Tri-watch & unlimited memory channels. All NOAA/weather channels included. NOAA weather/all hazards alert with SAME filtering. Large illuminated display. Signal strength meter. Illuminated function keys. Instant channel 16/9. Spring loaded belt clip. Dual band antenna. AA battery tray, rapid charging cradle, LiON polymer battery, AC and DC chargers included.

Order #	Mfg. #	Sugg.Ret.
5102499	MRHH425LVP	\$169.99



*Units sold in Canada will not transmit on 5 watts GMRS channels

**COBRA MARINE™
MR F45 CLASS D DSC**

1-25 watts of power output. US, International & Canadian channels. Meets internationally recognized requirements for RTCM-SC-101 Digital Selective Calling that allows you to send a distress signal at the touch of a button or exchange position information with other boats or stations. DSC call log captures the caller's MMSI ID number & any other data included in a DSC message. All NOAA/weather channels & weather alert. Dual-watch & scan feature. Submersible to JIS7 standards. Large illuminated LCD display. Noise cancelling microphone w/controls for instant access to channels 16 & 9 & changing of channels and setting features. External speaker output. GPS position repeating capability. Standard bracket & GPS cable included.

Order #	Mfg. #	Color	Sugg.Ret.
5103215	MR F45-D	White	\$109.99



**COBRA MARINE™
MR F55 CLASS D DSC**

1-25 watts of power output. US, International & Canadian channels. Meets internationally recognized requirements for RTCM-SC-101 Digital Selective Calling that allows you to send a distress signal at the touch of a button or exchange position information with other boats or stations. DSC call log captures the caller's MMSI ID number & any other data included in a DSC message. 10 NOAA weather channels & weather alert. Dual-watch & scan feature. Submersible to JIS7 standards. Illuminated LCD display. Noise cancelling microphone w/controls for instant access to channels 16 & 9 & changing of channels and setting features. External speaker output. GPS capability. Standard bracket & GPS cable included.

Order #	Mfg. #	Color	Sugg.Ret.
5103216	MR F55-D	White	\$129.99
5103217	MR F55B-D	Black	129.99



new

**COBRA MARINE™
MR HH500 FLT BT
FLOATING HANDHELD RADIO**

Exclusive Bluetooth® Wireless technology. Keep your phone safe & dry by making & receiving cellular phone calls through your VHF radio. Rewind-say-Again™ feature lets you replay missed VHF calls. Floating design & orange core makes retrieving radio easy if dropped overboard. Select between 1, 3 and 6 Watts for short & long range communication. Instant access to national All Hazards & weather information, 24 hours a day. Submersible to JIS-7 standards. 3-year warranty.

Order #	Mfg. #	Sugg.Ret.
5103478	MRHH500FLBTBT	\$149.99



**COBRA MARINE™
MR HH125 HANDHELD RADIO**

Single Pack. Compact design. U.S., Canadian & international VHF channels. Waterproof to JIS4 standards. Illuminated LCD display & keypad. Dual watch. Memory channels. All NOAA weather channels. Weather alert. Instant channel 16/9 & scan feature. Signal strength meter. Selectable 1 or 3 watt output. Speaker/microphone jack. Included accessories: 5 850 mAh AAA NiMH rechargeable batteries, 12 volt accessory charger, spring loaded belt clip, and a wrist strap.

Order #	Mfg. #	Sugg.Ret.
5102792	HH125	\$49.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



COBRA MARINE™ MR F75 CLASS D DSC

1-25 watts power output. US, International & Canadian channels. Largest LCD display in class. Speaker in microphone. 10 NOAA weather channels & alert. Meets JIS7 standards (submersible). Meets internationally recognized requirements for RTCM-SC-101 Digital Selective Calling that allows you to send a distress signal at the touch of a button or exchange position information with other boats or stations. DSC call log captures the caller's MMSI ID number & any other data included in a DSC message. GPS compatible. Tri Watch. Memory scan. Noise cancelling microphone w/controls for instant access to channels 16 & 9 & changing of channels and setting features. External speaker output. GPS capability. Illuminated function keys. Includes: flush-mount kit, over/under dash-mount kit & GPS interface cable. 3-year warranty.

Order #	Mfg. #	Color	Sugg.Ret.
5103218	MR F75-D	White	\$159.99
5103219	MR F75B-D	Black	159.99



COBRA MARINE™ 19 DXIV CB RADIO

40 channels. Compact design. Illuminated LCD display. RF Gain adjusts receiver sensitivity to match incoming signal. Electronic tuning precisely tunes all 40 CB channels. Instant channel 9/19. Combination S/RF meter indicates incoming signal strength and RF power output. CB/PA switch selects CB operation or public address (PA) operation. Heavy-duty contoured microphone w/dynamic voice response circuitry. Squelch control eliminates background noise in the absence of a signal.

Order #	Mfg. #	Sugg. Ret.
5102793	DXIV	\$59.99



GARMIN® VHF 100

25 watts of transmit power. Class D DSC capable. Position polling. NOAA Weather alerts. Simple user interface that's easy to read while on the go. Three soft keys linked to onscreen menus that allow boaters to see & select information they want. 3.2" display screen. 16/9 distress calling. Supports ATIS identification. Front flush-mounting capable marine radio. May be mounted in a number of configurations. IPX7 waterproof rating. Includes: Power cable, bail mount & knobs, flush mount gasket, Marine mounting screws, Mic hanger, & protective cover.

Order #	Mfg. #	Sugg.Ret.
5103292	010-00754-00	\$249.99



ICOM® IC-M92D ADVANCED CLASS D DSC VHF HANDHELD RADIO

Active noise cancelling handheld w/Class D DSC & GPS. IPX7 waterproof. 5W of power & a long lasting battery. Active noise cancelling feature quiets background noise by up to 90% on both outgoing & incoming calls. Compliant w/USCG Class D DSC regulations. Equipped w/software features such as a digital compass, navigation functions & waypoints plus a 48 channel internal GPS. Shares user interface w/M424 and CommandMic™ 4 (HM-195). Keep the water out of your grill w/AquaQuake™ & find your radio every time w/Float 'n Flash technology.

Order #	Mfg. #	Sugg.Ret.
5103363	M92 01	\$349.99



ICOM® IC-M36 VHF MARINE TRANSCEIVER

Large buttons & slim dimensions. Current saving circuit offers 8 hrs. of operating time w/supplied 980mAh Lithium-Ion battery pack. 6W RF output & 700mW audio output. Includes LOUD button for full volume & mute control. Features noise canceling technology to reduce background noise & automatic volume adjustment for better voice communication. Floats. Waterproof construction equivalent to IPX7 (1m depth for 30 mins.). Dual/Tri-watch functions. Weather channel w/weather alert. 4-Step battery life indicator. Auto-scan function. Instant access to Ch. 16 or Ch. 9.

Order #	Mfg. #	Sugg.Ret.
5103077	M36 01	\$309.99



ICOM® M24 FLOATING HANDHELD VHF RADIO

3rd Generation floating radio is compact & easy to use. IPX7 Submersible. Features large, well-spaced controls & boater-friendly features Icom® marine radios are known for.

Order #	Mfg. #	Color	Sugg.Ret.
5103264	M24-01	Black	\$289.99



ICOM® IC-M424 VHF MARINE TRANSCEIVER

Intuitive user interface & active noise cancelling fixed mount VHF with USCG compliant Class D DSC. Active noise cancelling feature quiets background noise by up to 90% on both outgoing & incoming calls. Features "smart touch" soft key human interface, 25W of power, built-in PA, AquaQuake™, IPX7 waterproof rating and direct compatibility with the AIS transponder MA-500TR and the CommandMic™ 4 (HM-195).

Order #	Mfg. #	Color	Sugg.Ret.
5103364	M424 01	Black	\$329.99
5103365	M424 02	White	349.99





ICOM® M412 MOUNTED VHF MARINE TRANSCEIVER

Compact size. Class D DSC. IPX7 Submersible. Features AquaQuake (automatically clears the speaker of water) & Force 5 Audio™. Program your favorite channel for faster access to where you want to be. Includes hand microphone, DC power cable & mounting bracket kit. Meets MIL-STD 810.

Order #	Mfg. #	Color	Sugg.Ret.
5103262	M412-01	Black	\$360.99
5103263	M412-02	White	360.99



ICOM® IC-M504 VHF MARINE TRANSCEIVER

25W hailer & full fog horn function. Increased LCD size w/dot matrix display. IP-X8 waterproof rating. Front panel microphone can be removed from back of radio. Class D DSC. Operates w/CommandMic3® or Command Mic II.

Order #	Mfg. #	Color	Sugg.Ret.
5103361	M504A 61	Black	\$580.99
5103362	M504A 63	Gray	580.99



ICOM® HM-195 COMMANDMICIV™ REMOTE CONTROL MICROPHONE

4th generation command & control. Makes it convenient for using the IC-M424 from a separate cabin or tower. All functions of the IC-M424 can be controlled from the CommandMicIV™ including communications & Class D DSC functions. Menu system provides easy & intuitive operation. The bottom line of the dot-matrix display shows the software key functions which can be toggled with the left & right buttons. Directional keypad allows you to perform various operations & settings. Intercom function is also available. IPX7 submersible rating. Superior audio performance. AquaQuake™ draining function. Includes 20' cable, mic hanger & mounting base for cable connector.

Order #	Mfg. #	Color	Sugg.Ret.
5103393	HM195B	Black	\$295.99
5103394	HM195SW	Super White	295.99



ICOM® HM-157 COMMANDMIC™

Adding optional Commandmic™, all available functions of ICM422 & IC-M504 (except DSC operation) can be controlled from remote locations. Slim dimensions. Fits in palm. Sizable LCD, allows control of all functions of the main unit (except DSC operation). Talk with the main unit as an intercom. Waterproof construction. Includes 20' cable, mic hanger & mounting base for cable connector.

Order #	Mfg. #	Color	Sugg.Ret.
5022684	HM157W	White	\$166.99



ICOM® ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
BRACKET			
5002354	MB69	Flush Mount-M45, M302 M402, ICM422	\$35.99
5022560	MB75	Flush Mount-IC-M504	31.99
CIGARETTE LIGHTER CABLE			
5002344	CP-17L	MC1	25.99
CIGARETTE LIGHTER CABLE w/DC-DC CONVERTER			
5103395	CP24	M24	39.99

LOWRANCE®

Seize the Day

LOWRANCE® LHR-80 HANDHELD VHF/GPS MARINE RADIO

JIS 7 waterproof standards. Built-in GPS receiver w/ unique trackplotter screen feature. Great Circle waypoint navigation. Storage of up to 500 waypoints. MOB functionality. "Track-Your-Buddy" feature allows boaters to pinpoint & display exact location of other vessels using LL position polling. "Get Buddy" transmit feature transmits radio's position. Save a buddy list of up to 20 people. Large 128x128 pixel LCD w/adjustable contrast settings & backlighting. Li-Ion battery pack. RSSI to meter strength of incoming/outgoing signals. Weather alert. Selectable 5W/1W transmit power. Latitude, longitude & time display. Distress call button. RX/TX signal strength meter. Memory indicator plus 4-bar battery life gauge. Rubber Duck antenna. Desktop charger w/wall adaptor, wrist strap & belt clip included.



Order #	Mfg. #	Type	Sugg.Ret.
5102961	22-17		\$198.99
ACCESSORIES			
5103282	000-0016-53	VBP-4 -1400mAh Li-Polymer Battery Pack	45.99
5103284	000-10006-001	VKIT-1 -Charging Cradle & US Power Adapter	44.99
5103285	000-10010-001	VKIT-5 -Charging Cradle & 12V Cigarette Lighter Cable	44.99
5103286	000-10017-001	MBC-1 -Belt Clip	11.99

new LOWRANCE® LINK-5 DSC VHF MARINE RADIO

Compact & affordable with a rugged waterproof (IPX7) chassis. Best-in-class microphone w/6 quick keys for simple & reliable helm operation, plus a built-in speaker that delivers clear audio that is easy to hear. Easy-grip rubber molding cover for secure holding & operation. Extra-large rotary knob interface for easy channel changing, menu navigation & setting control. Clear display of GPS lat/lon data is presented on a 1"x1.8" LCD display w/adjustable backlighting. Delivering all USA, Canadian & International marine channels, the system provides easy access to all DSC functions. Extra large Channel 16 key, dedicated volume & squelch knobs, weather keys, selectable Dual & TriWatch modes, local & distant functions, and 3 user-programmable ("favorites") channels. Equipped w/memory retention, it logs up to 10 distress calls & 20 individual DSC calls. DSC control keys include (priority) 16/9, WX, 3CH/+/- for quick channel changing, CALL, EXIT, SCAN and MENU. Rotary volume control w/power on/off, all-channel priority & memory channel scans, 20 user-programmable names w/MMSI, 10 weather channels with a 1050 Hz tone alert and a second receiver for incoming DSC messages on Channel 70. Selectable 25/1-watt transmit power & NMEA 0183 compatibility. Includes flush-mount kit, wires for 4-watt external speakers, a PL259 connection for optional 2.4 m & 1 m fiberglass antennas.



Order #	Mfg. #	Sugg.Ret.
5103489	000-10788-001	\$179.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Raymarine®



RAYMARINE® RAY 49 VHF

Compact, rugged, submersible (IPX7) and reliable. Easy-to-use rotary controls for volume, squelch and menu operation. Large 7-segment, backlight LCD display. Standard microphone includes integrated controls for channel selection as well as a built-in speaker. Class D Digital Selective Calling with a built-in DSC distress key for 1 touch digital broadcast of your boat's GPS position and digital mayday. 25 watts of transmitter power. Receiver w/excellent noise rejection, and best-in-class audio output and a standard external speaker connection. 4 Scan modes as well as NOAA weather alert and programmable scanning are all included. Sun cover, yoke mounting bracket, power/speaker/data cable, mounting hardware and instructions included.

Order #	Mfg. #	Color	Sugg.Ret.
5102811	E43034	Gray	\$249.99



RAYMARINE® RAY 55 VHF

Class D DSC (Digital Selective Calling) transceiver. DSC Distress key transmits GPS position and a digital mayday. NOAA weather alert. NMEA 0183 input w/GPS position, COG & SOG display. Chartplotter position polling using NMEA 0183 output. Easy-to-use rotary controls for channel, volume, squelch & menu operation. Extra large dot matrix LCD. Speaker microphone w/controls & remote mount option. Dual Channel Display (2UP Mode) displays active channel & standby channel. Programmable favorite channel soft keys (1UP Mode). Quick access 16/9 key. 4 Scan Modes: All Scan, Saved (Memory) Scan, Priority All Scan and Priority Saved Scan. Submersible (IPX7 Standard). Superior receiver w/excellent intermodulation rejection. Rugged housing. Optional Raymic remote station handset serves as a full function second station. Raymic enables intercom capabilities between RAY 55 and Raymic at a remote station.

Order #	Mfg. #	Sugg.Ret.
5102786	E43036	\$269.99



RAYMARINE® RAY 218 DSC VHF

Class D DSC (Digital Selective Calling) transceiver. DSC Distress key transmits GPS position and a digital mayday. NOAA weather alert. Built-in 30 watt Hailer w/"Listen Back" capability & automatic fog horn. NMEA 0183 input w/GPS position, COG & SOG display. Chartplotter position polling using NMEA 0183 output. Easy-to-use rotary controls for channel, volume, squelch & menu operation. Extra large dot matrix LCD. Speaker microphone w/controls & remote mount option. Dual Channel Display (2UP Mode) displays active channel & standby channel. Programmable favorite channel soft keys (1UP Mode). Quick access 16/9 key. 4 Scan Modes: All Scan, Saved (Memory) Scan, Priority All Scan and Priority Saved Scan. Submersible (IPX7 Standard). Superior receiver w/excellent intermodulation rejection. Rugged housing. Optional Raymic remote station handset serves as a full function second station. Raymic enables full duplex intercom capabilities between RAY 218 and Raymic at a remote station.

Order #	Mfg. #	Sugg.Ret.
5102779	E43032	\$539.99

Shakespeare®

SINCE 1897



SHAKESPEARE® ACCESSORY SPEAKER

2.25" external speaker w/Mylar® cone in compact housing. 4-ohm speaker for input power up to 5 watts (RMS). Ratchet-action mounting bracket, hardware mounting kit & 6' of cable with "mini phone" plug installed.

Order #	Mfg. #	Sugg.Ret.
5100803	ES-2	\$31.99



SHAKESPEARE® ACCESSORY SPEAKER

4", 4-ohm, deluxe speaker with Mylar® cone & white plastic cabinet for protection against moisture. 8 watts maximum input power (RMS). Swivel mounting bracket, hardware mounting kit & 6' of cable with "mini phone" plug installed.

Order #	Mfg. #	Sugg.Ret.
5100804	ES-4	\$46.99

SIMRAD



SIMRAD® RS10 MARINE VHF RADIO

Powerful 25W VHF w/DSC distress button. Dual Watch, TriWatch, All Scan, & favorite channel scan modes. Immediate selection of up to 3 favorite channels. 4W external speaker amplifier. Fully compliant DSC automatic distress operation w/high resolution position polling & group calling with NMEA 0183 output. Channel naming. Local/Distant feature eliminates interference. All available USA, Canadian, International and 10 weather marine channels (US). Flush-mount kit & dust cover included.

Order #	Mfg. #	Sugg.Ret.
5103391	000-10211-001	\$169.99



SIMRAD® RS25 MARINE VHF RADIO

Rotary control, super large display. Powerful 25W VHF w/DSC distress button. Dual Watch, TriWatch, All Scan, & favorite channel scan modes. Immediate selection of up to 3 favorite channels. 4W external speaker amplifier. Fully compliant DSC automatic distress operation w/high resolution position polling & group calling with NMEA 0183 output. Channel naming. Local/Distant feature eliminates interference. Digital barometer w/24 hour track history & weather predictor. All available USA, Canadian, International and 10 weather marine channels (US). Fishing predictor ("Happy Fish"). 3 station capability (2 remotes + base). Flush-mount kit & dust cover included.

Order #	Mfg. #	Sugg.Ret.
5103392	000-10213-001	\$269.99

Uniden®

new

UNIDEN® GMR3799-2CKHS TWO-WAY RADIOS

Up to 37 mile range (range varies w/terrain). Weather-resistant housing. Realtree AP® camouflage casing. 22 channels (15 GMRS/7 FRS). NOAA Weather Alerts. 121 privacy settings. Backlit LCD display. Battery strength meter. Hands-free operation (VOX). Keypad lock. Recharge capable. Channel scan. 10 call tones. Roger beep. Includes 2 VOX headsets, 2 belt clips, 2 carabiners & charging cradle with 2 NiMH batteries. Headset jack. Carabiner loop.

Order #	Mfg. #	Sugg.Ret.
5103441	3799-2CKHS	\$69.99



UNIDEN® MHS75

Compact design. Dual, Triple & Quad Watch. Large, orange backlit LCD. Memory channel scan. Weather alert. 11 hour LiON battery. JIS8 submersible. DC clip on charger.

Order #	Mfg. #	Sugg.Ret.
5103049	MHS75	\$99.99



new

UNIDEN® MHS126

Slim design/comfortable grip. Floats. Emergency strobe light. Softkey volume & squelch controls. Includes high capacity 1040 mAh Li Ion battery. 12 hour battery life. 1w/2.5/5/6 Watt TX. Includes accessory battery tray. Submersible JIS8/IPX8. AC charger, DC charger & charging cradle. NOAA Weather channel & alert.

Order #	Mfg. #	Sugg.Ret.
5103438	MHS126	\$139.99



UNIDEN® GMR5089/5099 TWO-WAY RADIOS

50 Miles - 2 Radios. Power Boost PTT. TRU Waterproof™ (JIS7). Floats. NOAA weather channels w/Alert. Call Alert. Emergency strobe light. Direct call w/ name display. 22 channels. 142 privacy codes. 10 call tones. Roger beep. Powered by rechargeable NiMH battery packs (9 hour battery life). Dual charging cradle w/AC adapter. Swivel belt clips. Headset jack. Vox operation. Includes (2) headset boom mics & (2) carabineer clips. Glow-in-the-dark keys.

Order #	Mfg. #	Color	Sugg.Ret.
5103350	GMR5089-2CKHS	Silver & Black	\$99.99
5103349	GMR5099-2CKHS	Camo & Black	99.99



new

UNIDEN® MHS235

Comfortable grip design. Built-in GPS w/DSC features. Add favorite locations, find that good fishing spot again. GPS compass. AUTO plot to DSC distress call. Power boost PTT key. Floats. Emergency strobe light. Glow in the dark PWR/PTT keys/seal. High capacity 1040 mAh LiON battery pack. 8 hours talk time. Variable TX power (1,2.5,6 watt). Supplied w/rapid AC/DC charging cords & charging cradle. WX/Emergency Alert with S.A.M.E. Submersible JIS8. Accessory battery tray. Free speaker-emic included.

Order #	Mfg. #	Sugg.Ret.
5103440	MHS235	\$249.99



UNIDEN® ATLANTIS 250™

Meets JIS4 waterproof level. 1 watt/5 watt switchable. Triple Watch Plus. Backlit LCD display/keypad. All NOAA weather channels with emergency/weather alert. All USA, Canadian & International marine channels. Controls: volume & power on/off knob, squelch knob, channel up/down, channel 16/9, or Triple Watch, 1 or 5 watt, keypad lock, push-to-talk, UIC, memory, scan. 3-year water protection warranty. Includes: AC/DC adapters, NiMH rechargeable battery/1200 mAh & 6 AA battery tray.

Order #	Mfg. #	Color	Sugg.Ret.
5024031	ATLANTIS 250-BK	Black	\$89.99
5024753	ATLANTIS 250-G	White/Grey	89.99



UNIDEN® UM380 SOLARA D DSC VHF MARINE RADIO

Compact, sleek 25 Watt VHF radio w/text display to show channel names, radio menu, DSC features & GPS data. Rugged microphone features Channel 16/9 & triple watch select keys. Includes all USA, International & Canadian channels. Meets JIS7 submersible standards. Offers full DSC capability, including Position Send & Request. Features Orange backlit LCD & keys w/LCD contrast control, NMEA input/output, memory channel scan, large full dot matrix display, & NOAA Emergency Weather Alert (including S.A.M.E.). Receiver spec.: Sensitivity 0.27 uV; Rejection: 70 dB.

Order #	Mfg. #	Color	Sugg.Ret.
5103199	UM380	White	\$119.99
5103200	UM380BK	Black	119.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Uniden®



UNIDEN® UM415 OCEANUS D DSC VHF MARINE RADIO

25 watt, full-featured fixed mount VHF Marine Radio designed with a shorter chassis for more versatile installations. Meets JIS8 submersible standards (5' 30 min.). Ultra-compact, rugged construction withstands the harshest marine conditions. Features: Oceanus D; DSC (Digital Selective Calling) w/distress button, position send & request to give you the ability to press one button for emergencies; Full Class D DSC capability; High performance transceiver; All USA/International/Canadian marine channels; 1 Watt/25 Watt transmit power; DSC Position Send & Request for sending & receiving position info between your boat & other boats; Full dot matrix display w/easy-to-use intuitive menus providing channel info & feedback; Quik Command™ one-touch Ch.16/9 key on mic w/channel up & down controls for one touch access to the Coast Guard channels 16 & 9; Durable rubber grip mic; S.A.M.E. Emergency/Weather Alert enabling you to specify the area needed to hear any alerts that may be Weather, Civil, Biological, Nuclear, or National in nature; Ability to assign channel names to all marine channels for quicker reference; Backlit LCD display & keypad for enhanced viewing in low light situations; LCD display dimmer for adjusting contrast; Triple Watch Plus™ for monitoring emergency channel 16 & 9 along w/another user selectable channel plus weather alert; Memory Scan; Weather Alert for NOAA weather signal of inclement conditions; Weather Scan; 3-Year Waterproof Protection Warranty

Order #	Mfg. #	Color	Sugg.Ret.
5103185	UM415	White	\$124.99
5103186	UM415BK	Black	124.99



UNIDEN® HAND HELD SPEAKER MIC

Replaces HHVTA07/Mic for Voyager, Mystic & Atlantis250/250BK.

Order #	Mfg. #	Sugg.Ret.
5102886	SM-81	\$39.99

UNIDEN® VHF ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
BATTERY PACK			
5102168	BP250	Atlantis 250 (White)	\$33.99
FLUSH MOUNTING BRACKET			
5101867	FMB320	Solara, LTD935	14.99
5101868	FMB321	Oceanus, LTD1025, UM525, VHF650, UM415, UM380	12.99
5102166	FMB322B	Oceanus DSC, Solara DSC, Black	19.99
5102176	FMB322W	Oceanus DSC, Solara DSC, White	19.99

RADIO MOUNTING ACCESSORIES

Raymarine®

RAYMARINE® FLUSH MOUNT KITS

Flush mounting kit for use when there is limited space inside the console. Includes trim-ring flush mount, stainless mounting screws, cutting template and instructions.

Order #	Mfg. #	Type	Sugg.Ret.
FRONT			
5102932	A42119	Ray 55	\$24.99
5102780	A46060	Ray 218	24.99
REAR			
5102931	A46053	Ray 49, 54, & 218	24.99

ANTENNAS & ANTENNA ACCESSORIES



anderson marine division



ANDERSON MARINE UNIVERSAL RUBBER DUCK ANTENNA

Combination top/side mount. Features flexible 16" mast & 54" cable.

Order #	Mfg. #	Sugg.Ret.
5100721	95011-1	\$9.99

attwood



ATTWOOD® ANTENNA DECK MOUNT - NYLON

White reinforced nylon with stainless steel hardware. Ratchet adjustment, firm hold. 1"-14 threads hold up to 8' whip antenna with nylon ferrules. Base is 3-1/2"x2-1/2" pre-drilled for 1/4" fasteners. 4-1/4" H.

Order #	Mfg. #	Sugg.Ret.
5100332	12680-3	\$12.99



M A R I N E



JENSEN® TOP/SIDE MOUNT AM/FM STEREO ANTENNA

Features 10" rubber mast w/60" cable. Antenna adjusts to 90° angle. Surface (top or side) mount installation.

Order #	Mfg. #	Sugg.Ret.
5103106	1181067	\$15.99



JENSEN® AM/FM STEREO ANTENNA

Soft wire antenna. Works w/any stereo.

Order #	Mfg. #	Size	Sugg.Ret.
5103107	8309819	6'	\$4.99

NORTHSTAR

NORTHSTAR 171 & 177 VHF ANTENNAS

Uniquely designed quick-fit "no cable" mount system that enables the antenna to be unscrewed from the base, leaving the coaxial cable attached to the mount. This means the antenna can be removed quickly & conveniently w/o the hassle of dealing w/the cable. Antenna can be safely stored when not in use, adding years to the life of the antenna.



Order #	Mfg. #	Model/Size	Sugg.Ret.
"ULTRAGLASS" QUICK-FIT ANTENNA			
5102920	NS000358	177 VHF/1.1m	\$47.99

PERKO

PERKO® WATERTIGHT CABLE OUTLETS

For 5/16" OD cable. Equipped with rubber grommet for watertight passage of cable. Base Dia.: 1-1/4".



Order #	Mfg. #	Finish	Sugg.Ret.
6000731	0424DP0CHR	Chrome-plated brass	\$37.99

SEADOG LINE

SEA-DOG® DIE CAST ANTENNA BRACKET

Die cast zinc construction w/mirror finish chrome plating. Accepts any std. antenna w/1" - #14 threads. Designed with integral feed system for Loran cable. Wt.: 1.4 lbs.



Order #	Mfg. #	Sugg.Ret.
5103141	329300-1	\$39.99

SEA-DOG® NYLON ANTENNA BRACKET

Injection molded nylon construction. Accepts any std. antenna w/1" - #14 threads.



Order #	Mfg. #	Sugg.Ret.
5103142	329130-1	\$13.99

SEA-DOG® FIXED ANTENNA BASE

Injection molded nylon construction. Accepts any std. antenna w/1" - #14 threads. White.



Order #	Mfg. #	Sugg.Ret.
5103143	329500-1	\$5.99

SEA-DOG® RAIL MOUNT ANTENNA BRACKET

Injection molded nylon construction w/stainless crews. Accepts any std. antenna w/1" - #14 threads. White.



Order #	Mfg. #	Sugg.Ret.
5103144	327148-1	\$18.99

Shakespeare

SINCE 1897

SHAKESPEARE® SIRIUS ANTENNA

3.5" diameter, low-profile Marine satellite radio antenna, packed with SM-31 pedestal base.



Order #	Mfg. #	Sugg.Ret.
5102383	SRA-40	\$135.99

SHAKESPEARE® SIRIUS ANTENNA

Ultra low-profile Sirius Satellite Radio Antenna for small, inland boats. Comes supplied with surface mount and 15' low loss cable.



Order #	Mfg. #	Sugg.Ret.
5102534	SRA-25	\$92.99

SHAKESPEARE® 5225-FLT GALAXY ANTENNA

6dB gain. Collinear phased 5/8 wave elements w/special filtering to suppress Out-of-Band Interference. 30 watts of power input, VHF marine band frequency, brass & copper elements maximize range & efficiency. Stainless steel ferrule w/standard 1"-14" thread. Includes 20' RG-8/X cable & PL-259 connector. Suggested mount: Shakespeare style 4187.

Order #	Mfg. #	Size	Sugg.Ret.
5101602	5225-FLT	8'	\$344.99

SHAKESPEARE® 5226-XT GALAXY ANTENNA

6dB gain VHF antenna. Collinear-phased 5/8 wave elements. Stronger, stiffer radome. Brass & copper elements for maximum range, efficiency. Chrome-plated brass ferrule with standard 1"-14 thread. 20' RG-8/X low-loss cable & PL-259 connector. Gloss black finish with touch of red.

Order #	Mfg. #	Size	Sugg.Ret.
5101267	5226-XT	8'	\$264.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Shakespeare

SINCE 1897

**SHAKESPEARE®
5225-XT GALAXY ANTENNA**

6dB VHF antenna maximizes range & quality. Collinear phased 5/8 wave elements. Classic 5225 style with stronger, stiffer radome. Brass & copper elements. Chrome-plated brass ferrule with standard 1"-14 thread. 20' RG-8/X low-loss cable plus PL-259 connector. DC grounding. Use with 4187 or 4187 HD ratchet mount (not included).

Order #	Mfg. #	Size	Sugg.Ret.
5101266	5225-XT	8'	\$245.99

**SHAKESPEARE®
5400-XT GALAXY ANTENNAS**

VHF 3dB gain. Center-fed 1/2-wave coaxial sleeve, heavy-duty construction for general purpose communications. Brass & copper elements maximum range. Stainless steel ferrule w/standard 1"-14 thread. Suggested mount: #4187. Includes 20' RG-8/X cable & PL-259 connector.

Order #	Mfg. #	Color	Size	Sugg.Ret.
5101595	5400-XT	White	4'	\$206.99

**SHAKESPEARE®
5420-XT GALAXY ANTENNAS**

3dB gain. AM/FM entertainment band. Copper elements. Stainless steel ferrule w/standard 1"-14 thread. Sturdy construction. Outstanding performance. Includes 12' RG-62 cable with Motorola®-type plug installed

Order #	Mfg. #	Color	Size	Sugg.Ret.
5101599	5420-XT	White	4'	\$146.99

**SHAKESPEARE®
CENTENNIAL™ 5102 ANTENNA**

6dB. Collinear phased 5/8 wave. Brass & copper elements. Chrome-plated brass ferrule w/standard 1"-14 thread. Includes 15' RG-58 cable & PL-259 connector. High-gloss polyurethane finish will not turn yellow in sun. 1-section. Suggested mount: Style 4187 Ratchet mount

Order #	Mfg. #	Size	Sugg.Ret.
5101265	5102	8'	\$145.99

**SHAKESPEARE®
CENTENNIAL™ 5101 ANTENNA**

6dB. End-fed with matching stub. Smooth, high gloss polyurethane finish. Brass & copper elements. Chrome-plated brass ferrule w/standard 1"-14 thread. Includes 15' RG-58 cable & PL-259 connector.

Order #	Mfg. #	Size	Sugg.Ret.
5101223	5101	8'	\$104.99

**SHAKESPEARE®
CENTENNIAL™ 5120 AM/FM ANTENNA**

6dB gain. 1-section. Chrome-plated brass ferrule w/standard 1"-14 thread. Includes 15' RG-62 cable & Motorola® connector. Suggested mount: Style 4187 Ratchet mount

Order #	Mfg. #	Size	Sugg.Ret.
5101268	5120	8'	\$101.99

**SHAKESPEARE®
5202 SPORTSMAN VHF ANTENNA**

6dB gain. Rugged, professional quality antenna features heavy-duty radome & brass and copper construction for maximum efficiency & extra range. White fiberglass. Collinear phased 5/8-wave elements. Use w/366-H or 4187 ratchet mounts, or 410 mounting kit & 4008 extension mast to form VHF. Chrome-plated brass ferrule.

Order #	Mfg. #	Size	Sugg.Ret.
5100267	5202	8'	\$196.99

**SHAKESPEARE®
5215-C-X LOW PROFILE
SAILBOAT ANTENNA**

Squatty Body®. 3dB gain. End-fed 1/2-wave. Low-profile stainless steel design. Preferred by sailboat owners. Stainless steel "L" bracket. Hermetically-sealed, tin-plated copper wire coil. Stainless steel ferrules. 60" RG-8/X low-loss cable & PL-259 connector are supplied.

Order #	Mfg. #	Size	Sugg.Ret.
5100268	5215-C-X	3'	\$160.99

**SHAKESPEARE®
396-1 COAXIAL SLEEVE ANTENNA**

Center-fed 1/2-wave coaxial sleeve basic 3dB antenna. Designed to reduce signal fading when working in rough seas. Widely used on Coast Guard vessels. Use with 366-H ratchet mount. White fiberglass, brass & copper elements. Chrome-plated ferrule.

Order #	Mfg. #	Size	Sugg.Ret.
5100262	396-1	5'	\$160.99

**SHAKESPEARE®
SKIPPER™**

Basic 3dB antenna for steady, day-to-day cruising in calm to moderate seas. Polycarbonate lift & lay mount for deck mounting. Includes leveling plate & installation hardware. White fiberglass. Center-fed 1/2-wave coaxial sleeve antenna. Brass & copper elements. Polycarbonate ferrule.

Order #	Mfg. #	Size	Sugg.Ret.
5100264	420	5'	\$145.99





SINCE 1897

SHAKESPEARE® 5240/5241 LOW-PROFILE STEEL ANTENNA

Perfect for bass boats, center console fishing boats, flat boats or any vessel where standard fiberglass antenna may be too obtrusive or impossible to install. Ratchet or rail mount with a center hole is required for passage of 15' coax cable which exits from the bottom center of the ferrule. Recommended mounts are models 366-H, 4187, 4189 or 4190. 36" stainless steel whip. 6dB gain performance.

Order #	Mfg. #	Size	Sugg.Ret.
5100291	5240-R	3'	\$103.99
W/HEAVY-DUTY S.S. WHIP - FOR FLATS BOATS			
5100789	5241-R	3'	116.99



SHAKESPEARE® 4350 AM/FM STEREO ANTENNA

3' combination antenna. Features exclusive distributive load for super signal pulling power. Coil is permanently sealed in white fiberglass. Polycarbonate with stainless steel hardware for deck mounting. One section.

Order #	Mfg. #	Style	Size	Sugg.Ret.
5100292	4350	Lift-Lay	3'	\$96.99
5100293	4351	Ferrule	3'	91.99



SHAKESPEARE® 5911 THE STOWAWAY VHF ANTENNA

Emergency VHF Flex antenna gives instant emergency capability if main antenna accidentally breaks or is disabled. Complete w/Velcro® strips, 12' cable & rubber suction cup. 1/4 wave whip.

Order #	Mfg. #	Size	Sugg.Ret.
5100270	5911	10"	\$87.99



SHAKESPEARE® 5206 VHF ANTENNA

6dB gain. Lightweight, self-supporting antenna. For communications where range is not a predominate factor. White fiberglass. End-fed antenna with matching stub. Use w/366-H deck mount, or 410 mounting kit & 4008 extension mast to form 16' antenna. Combo package: #5206 antenna & #4186 ratchet mount. Nylon ferrule.


Order #	Mfg. #	Size	Sugg.Ret.
CHROME PLATED, BRASS FERRULE			
5100269	5206C	8'	\$81.99
NYLON FERRULE			
5100668	5206N	8'	75.99
COMBO PACKAGE			
5101247	5206N/4186U	8'	55.99



SHAKESPEARE® 5218 VHF MARINE BAND ANTENNA

Small, black SS whip antenna features a magnetic mount, for fast & easy attachment to magnet-friendly surfaces. 25 watts max. input power. 15' of RG-58 A/U coax supplied.

Order #	Mfg. #	Size	Sugg.Ret.
5102573	5218	1.6'	\$83.99



SHAKESPEARE® CLASSIC 5216 VHF SAILBOAT ANTENNA

Small and extra lightweight, specially built for sailboat racers. Black SS whip and "L" bracket. End-fed, center loaded. Gold connector. 25 watts max. input power. 2-year limited warranty.

Order #	Mfg. #	Size	Sugg.Ret.
5102872	5216	15"	\$69.99



SHAKESPEARE® ECONOMY WHIP ANTENNA

3dB gain. Base loaded with nylon 1", 14 thread ferrule. 15' RG-58 cable & PL-259 connector included.

Order #	Mfg. #	Size	Sugg.Ret.
5101222	5244	3'	\$35.99



SHAKESPEARE® 4353 ON-GLASS AM/FM AN- TENNA

Lets you put an AM/FM antenna on your boat where it won't get in the way. It is a clear tape with embedded antenna elements. Permanent adhesive strip lets you attach it quickly & easily onto a boat's windshield or any smooth, nonmetallic surface. Comes with a 6' cable & attached "Motorola-type" plug.

Order #	Mfg. #	Sugg.Ret.
5102566	4353	\$59.99



SHAKESPEARE® NYLON RATCHET MOUNT

4-way ratchet design with handle for deck or bulk-head mounting. Standard 1"-14 male threads. NOTE: Never use on antennas longer than 8'.

Order #	Mfg. #	Sugg.Ret.
5100281	4186-U	\$12.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps






















Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling Motors				
Audio/ Instruments				
Depth Finders/GPS				
Vests/ Cushions				
Water Sports				
Safety/ Optics				
Boat Access.				
Mooring/ Docking				
Hardware				
Lighting				
Boat Seats				
Boat Covers				
Fuel				
Trailers/ ATV Access.				
Pumps				
Electrical				
Maintenance				
Controls/ Steering				
Motor Access.				
Camping				
Cutlery				

SHAKESPEARE® STAINLESS STEEL RATCHET MOUNT

Four-way design with handle for deck or bulkhead mounting. Has 9/32" hole for Loran cable.

Order #	Mfg. #	Sugg.Ret.
5100282	4187	\$80.99

SHAKESPEARE® STAINLESS STEEL RATCHET MOUNT

Four-way design. Its simple lines come from a nut-less design. Standard 1"-14 threads and a special cable slot that eliminates removal of most factory installed connectors. Bolt holes: 5/16" diameter, 3"x1-1/2" on center. Mounting hardware sold separately.

Order #	Mfg. #	Sugg.Ret.
5102873	5187	\$106.99

SHAKESPEARE® STAINLESS STEEL RATCHET RAIL MOUNT

Ratchet-action, swivel type, fast release design. Quick & easy laydown. Mounts on 1" and 1-1/2" vertical, horizontal or slanted rails. 9/32" hole for cable feed-through. Standard 1"-14 thread. Handles antennas up to 8'. Heavy-duty construction.

Order #	Mfg. #	Sugg.Ret.
5101843	4188 SL	\$95.99

SHAKESPEARE® STAINLESS STEEL STRAIGHT MOUNT

4" high. 1"-14 thread stainless steel mount. Perfect for radar arches. May be used with #4364 extension mast.

Order #	Mfg. #	Sugg.Ret.
5100983	4365	\$34.99

SHAKESPEARE® FLANGE MOUNT

Low-profile, 1" high mount with standard 1"-14 threads. For GPS, Marine TV & shorter antennas.

Order #	Mfg. #	Type	Style	Sugg.Ret.
5102212	4711	Nylon	Moderate Use	\$6.99
5102213	4710	SS	Heavy-Duty Use	23.99

SHAKESPEARE® 410 MOUNTING KIT

Style 81 swivel mount & Style 408 molded upper bracket for 1-1/2" diameter antennas.

Order #	Mfg. #	Sugg.Ret.
5100280	410R	\$114.99

SHAKESPEARE® PL-258 CONNECTOR

Allows 2 PL-259-ended cables to be plugged together.

Order #	Mfg. #	Sugg.Ret.
5100796	PL-258G	\$6.99

SHAKESPEARE® PL-258-L CONNECTOR

Bulkhead mountable barrel connector. Mounts through bulkhead up to 1" thick. Allows connection of PL-259-ended cables to both sides.

Order #	Mfg. #	Sugg.Ret.
5100797	PL-258-LG	\$10.99

SHAKESPEARE® PL-259-58 CONNECTOR

#PL-259 connector with UG-175 adapter. Includes DooDad® cable strain relief. For use with RG-58 Coax cable.

Order #	Mfg. #	Sugg.Ret.
5100794	PL-259-58G	\$9.99

SHAKESPEARE® PL-259-8X CONNECTOR

#PL-259 connector with UG-176 adapter. Includes DooDad® cable strain relief. For use with RG-8/X Coax.

Order #	Mfg. #	Sugg.Ret.
5100795	PL-259-8XG	\$9.99

SHAKESPEARE® CENTERPIN® CONNECTOR

Solderless, fret-less, botchless connector. Goes on without heat or soldering skills. No stripping, shaping insulation. No tinning the braid. Anyone who can use pliers can do it right the first time.

Order #	Mfg. #	Sugg.Ret.
5101245	PL-259-CPB	\$11.99

SHAKESPEARE® AM/FM/VHF MARINE BAND SEPARATOR

Eliminate the need for separate AM/FM antennas and operate AM/FM and VHF radios at the same time w/out interfering with VHF radio performance. Complete with 10' RG-62 AM/FM cable, 3' RG-58 VHF cable & connectors.

Order #	Mfg. #	Sugg.Ret.
5100786	4357-S	\$101.99

SHAKESPEARE® COAXIAL TERMINAL

#PL-259 connector.

Order #	Mfg. #	Sugg.Ret.
5100578	PL-259G	\$9.99

SHAKESPEARE® COAXIAL CABLE

50' RG-8/X ohm low-loss coaxial cable.

Order #	Mfg. #	Sugg.Ret.
5100530	4078-50	\$64.99



SINCE 1897

**SHAKESPEARE®
4184 CABLE OUTLET**

Chromed-brass. Allows cables to neatly pass through bulkheads. Rubber internal grommet grips cable & keeps water out. For: RG-8/AU, 8X, 58,59, 213 & Lo-Max™ coax cables.



Order #	Mfg. #	Sugg.Ret.
5102012	4184	\$6.99


**SUNCOR
ANTENNA RATCHET MOUNT**

316 stainless steel investment-cast. 3-1/2"L x2-1/2"Wx5-1/2"H.



Order #	Mfg. #	Sugg.Ret.
5100586	C3620-0000	\$31.99

**SUNCOR
ANTENNA RATCHET MOUNT-
RAIL MOUNT - HEAVY-DUTY**

316 stainless steel, precision-cast. Carded. 2-1/2"Lx2"Wx3-1/2"H.



Order #	Mfg. #	Sugg.Ret.
5100832	C3625-0000	\$48.99


**WHITECAP
RATCHET MOUNT**

Standard 1" - 14 male thread. Includes Loran cable hole.



Order #	Mfg. #	Base Size	Sugg.Ret.
STAINLESS STEEL FINISH			
5100941	S-1802B	3-3/4"x2-1/4"	\$56.99
5102234	S-1802	3-5/8"x2-1/2"	58.99
CHROME PLATED ZAMAC			
5100943	S-1804	3-11/16"x2-3/16"	32.99

**WHITECAP
RAIL MOUNT RATCHET MOUNT**

Designed for quick & easy installation on 7/8" & 1" rails. Feed-through provision for Loran Cable. Stainless steel bolts, nuts & washers.



Order #	Mfg. #	Finish	Sugg.Ret.
5100942	S-1801	Stainless Steel	\$66.99
5700941	S-7011P	Nylon	18.99

**WHITECAP
CABLE OUTLETS**

Chrome-plated brass construction w/rubber gaskets & threaded cap. Waterproof method of running electric wires & antenna cables through deck. Carded.



Order #	Mfg. #	Size	Sugg.Ret.
5100976	S-717C	5/16"	\$6.99
5100977	S-718C	3/8"	6.99

**RADIOS, STEREOS,
CASSETTES, & ACCESSORIES**

**ANCOR
SUPER FLEX AUDIO CABLE**

Super flexible, easy to run. Clear jacket blends into environment. Drawn copper, unidirectional lay for ultimate in sound quality. Tinned copper for corrosion resistance.



Order #	Mfg. #	Cable	Spool	Sugg.Ret.
6032165	142610	16/2	100'	\$90.99



Adding mobile entertainment to the ever popular & fun of boating & water sports presents installation challenges different from those found in car stereo applications. BOSS® Marine addresses these challenges with coated circuit boards that seal out moisture, along with sealed switches & CD compartments to keep water out. Wherever possible, waterproof materials such as polypropylene & several plastics are used to ensure performance & durability in marine conditions.


**BOSS® MARINE
MR1400 AM/FM/CD RECEIVER**

ISO DIN mounting. Full detachable front panel. 5 volt preamp output. Active black matrix display. PLL synthesized tuner. 24 station presets. Quartz digital clock. CD mute function. Track repeat. Intro scan. 1 bit D/A converter. 8x oversampling. CD-R/CD-RW compatible. Front Aux./mobile video input. On channel subwoofer output (BassMax). ESP anti-skip mechanism. Preset EQ response curves. Separate bass and treble. Balance and fader controls. Dual (front & rear) RCA outputs. Loudness. Stereo/mono & local/distance switches. Output power: 50Wx4 channels.

Order #	Mfg. #	Color	Sugg.Ret.
STEREO ONLY			
5102511	MR1400W	White	\$169.99
PACKAGE W/MR60 SPEAKERS & MRANT10 ANTENNA			
5102530	MCK1460W	White	222.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

BOSS®

marine



BOSS® MARINE MR1420 AM/FM/ CD RECEIVER

ISO DIN mounting. Full detachable front panel. 5 volt preamp output. Active black matrix display. PLL synthesized tuner. 24 station presets. Quartz digital clock. CD mute function. Track repeat. Intro scan. 1 bit D/A converter. 8x oversampling. MP3/CD-R/CD-RW compatible. Front Aux./mobile video input. On channel subwoofer output (BassMax). ESP anti-skip mechanism. Preset EQ response curves. Separate bass and treble. Balance and fader controls. Dual (front & rear) RCA outputs. Loudness. Stereo/mono & local/distance switches. Wireless remote control. Output power: 50Wx4 channels.

Order #	Mfg. #	Color	Sugg.Ret.
5102512	MR1420W	White	\$178.99



new

BOSS® MARINE MCK1440W.6 PACKAGE

Package includes (1) white MR1440U in-dash single-din marine MP3-compatible CD AM/FM receiver featuring USB & front panel AUX input, (2) MR6W white 6.5" 180 Watt dual cone marine loudspeakers & (1) MRANT10 marine dipole antenna. **Receiver SPECS:** Single-DIN mounting; Active Matrix display; ID-3 tag display; PLL Synthesized AM/FM Tuner; 30 Station Presets; MP3/CD-R & CDRW compatible; USB port; Front panel AUX input; Compatible w/audio output of iPod® & other MP3 players; RCA outputs; Output Power: 60w x 4 channels; Illuminated control buttons; Stereo/Mono & Local/Distance switches; Preset EQ response curves; Separate bass & treble; Balance & fader controls; Track repeat; Mute function; Loudness; Quartz digital clock; Wireless remote control; 1-Bit D/A converter; ESP (Anti-skip Mechanism); 8X oversampling; Front panel UV coating; PC board w/conformal Coating.

Order #	Mfg. #	Sugg.Ret.
5103429	MCK1440W.6	\$149.99



BOSS® MARINE MCK1470.6W PACKAGE

Package includes (1) white MR1470W AM/FM/CD receiver w/wireless remote, (2) white 6.5" MR60W marine speakers, (1) MRANT10 marine dipole antenna, & MRC5 radio cover. Model MR1470W features: MP3 compatible in-dash CD receiver w/USB & SD memory ports & front panel aux input.

Order #	Mfg. #	Sugg.Ret.
5103315	MCK1470.6W	\$258.99

BOSS® MARINE MCK637W.6 PACKAGE

Package includes (1) MR637UW AM/FM/CD receiver w/wireless remote, (2) white 6.5" marine dual cone speakers, & (1) MRANT 10 dipole antenna. Model MR637UW features: USB port & Aux-in on front panel. Power output: 60Wx4.

Order #	Mfg. #	Sugg.Ret.
INCLUDES 1-PAIR OF DUAL CONE SPEAKERS		
5103379	MCK637.6	\$229.99
INCLUDES 2-PAIR OF DUAL CONE SPEAKERS		
5103380	MCK637.64	249.99



new

BOSS® MARINE MCK1306W.6 MECHLESS AM/FM/MP-3 PACKAGE

Package includes MR1306UA receiver, MR6W speakers & MRANT antenna. Front panel AUX-in. USB & memory card slots. 50 watts x 4. IR remote control. Zero current draw memory. Conformal coated boards & UV protected face. 6.5" dual cone marine speakers w/grilles.

Order #	Mfg. #	Sugg.Ret.
INCLUDES 1 PAIR OF DUAL CONE SPEAKERS		
5103462	MCK1306W.6	\$139.99
INCLUDES 2 PAIR OF DUAL CONE SPEAKERS		
5103463	MCK1306W.64	159.99



new

BOSS® MARINE MCK1308WB.6 MECHLESS AM/FM/MP-3 PACKAGE

Package includes MR1308UAB receiver; Bluetooth® ready - allowing for A2DP streaming, MR6W speakers & MRANT antenna. Front panel AUX-in. USB & memory card slots. 50 watts x 4. IR remote control. Zero current draw memory. Conformal coated boards & UV protected face. 6.5" dual cone marine speakers w/grilles.

Order #	Mfg. #	Sugg.Ret.
INCLUDES 1 PAIR OF DUAL CONE SPEAKERS		
5103464	MCK1308WB.6	\$169.99
INCLUDES 2 PAIR OF DUAL CONE SPEAKERS		
5103465	MCK1308WB.64	189.99



new

BOSS® MARINE MR360UV AM/FM/CD/DVD IN-DASH SINGLE DIN RECEIVER

3.6" widescreen TFT monitor. Drop down detachable front panel. Front panel AV input. 80 watts x 4. USB & SD memory card ports. Wireless remote control. Separate bass & treble; separate balance & fader controls. Switchable US/European frequencies. Front panel UV coating. PC board w/conformal coating.

Order #	Mfg. #	Sugg.Ret.
5103455	MR360UV	\$299.99





new

BOSS® MARINE MR1306UA

AM/FM/MP-3 MECHLESS DIGITAL RECEIVER

Front panel AUX in. 50 watts x 4. USB & SD memory card ports. Wireless remote control. Zero current draw memory. Conformal coated boards & UV protected face.

Order #	Mfg. #	Sugg.Ret.
5103457	MR1306UA	\$109.99



new

BOSS® MARINE MR1308UAB

AM/FM/MP-3 MECHLESS DIGITAL RECEIVER

Front panel AUX in. 50 watts x 4. USB & SD memory card ports. Bluetooth® ready - allowing for A2DP streaming. Wireless remote control. Zero current draw memory. Conformal coated boards & UV protected face.

Order #	Mfg. #	Sugg.Ret.
5103458	MR1308UAB	\$139.99



BOSS® MARINE MR1580DI MP3 RECEIVER w/iPOD DOCK

Marine solid state MP3 receiver w/internal iPod docking station. AM/FM/RDS. Buttonless touch sensitive panel. Full detachable front panel. USB/SD card slot. Front Aux-in. Wireless remote. Power output: 80Wx4.

Order #	Mfg. #	Sugg.Ret.
5103370	MR1580DI	\$249.99



BOSS® MARINE MCK1580.6 PACKAGE

Package includes (1) MR1580DI MP3 receiver w/internal iPod docking station & wireless remote, MRANT 10 dipole antenna, & (2) white 6.5" MR6W dual cone speakers w/grills, 90W RMS & 185W peak power handling, & (1) MRANT10 marine dipole antenna. Model MR1580DI features: USB & SD memory ports, front Aux input, & fully detachable buttonless touch sensitive panel.

Order #	Mfg. #	Sugg.Ret.
5103371	MCK1580.6	\$279.99



BOSS® MARINE MR2180UA MP3/ CD RECEIVER

IPX 6 rated, 1-1/2 DIN Marine MP3/CD/AM/FM/RDS receiver. Wireless remote. Fits DIN opening. Front Aux-in. RF remote - compatible. Power output: 80Wx4. White finish.

Order #	Mfg. #	Sugg.Ret.
5103384	MR2180UA	\$349.99



BOSS® MARINE MR1200PA 4-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER

Constructed w/unique rubber sealing door which tightly seals all control panel openings when not in use & uses in-line weatherproof connectors for all input/output connections. Features built-in PA system. Public address system w/microphone & remote subwoofer level control. Max power: 300W x 4, 2 OHM. RMS power: 150W x 4, 4 OHM. Max bridged power: 600W x 2, 4 OHM. Length: 12-3/4".

Order #	Mfg. #	Sugg.Ret.
5103137	MR1200PA	\$399.99



BOSS® MARINE 4-CHANNEL BRIDGEABLE MOSFET MARINE POWER AMPLIFIER

Max power, 2 ohm: 250Wx4. RMS power, 4 ohm: 100Wx4. Bridged power, 4 ohm: 500Wx2. Signal-noise-ratio: 102dB. THD: 0.01%. Dimensions: 15-7/16" L x 11-3/16" W x 2-11/16" H.

Order #	Mfg. #	Sugg.Ret.
5102513	MR1000	\$289.99



BOSS® MARINE 2-CHANNEL BRIDGEABLE MOSFET MARINE POWER AMPLIFIER

Max power, 2 ohm: 400Wx2. RMS power, 4 ohm: 125Wx2. Bridged power, 4 ohm: 800Wx1. Signal-noise-ratio: 102dB. THD: 0.01%. Dimensions: 11-7/8" L x 11-3/16" W x 2-11/16" H.

Order #	Mfg. #	Sugg.Ret.
5102514	MR800	\$198.99



BOSS® MARINE 2-CHANNEL POWER AMPLIFIER

Marine 2-Channel marinized amplifier. 100Wx2. Variable gain controls.

Order #	Mfg. #	Sugg.Ret.
5103382	MR202	\$102.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

BOSS®

marine



BOSS MARINE® 4-CHANNEL POWER AMPLIFIER

Marine 4-Channel marinized amplifier. 100Wx4. Variable gain controls.

Order #	Mfg. #	Sugg.Ret.
5103383	MR404	\$113.99



BOSS® AUDIO SYSTEMS RADIO COVER

Waterproof radio cover. Fits all DIN & 2-shafted radio models.

Order #	Mfg. #	Color	Sugg.Ret.
5102058	MRC-5	White w/Tinted Door	\$28.99



BOSS® MARINE MRH7 WATERPROOF HOUSING

Tinted front access panel w/heavy-duty gasket to keep water out. Compatible with DIN chassis and two-shaft head units. Adjustable bracket for universal mounting. External wiring for power, speakers and preamp (RCA). Dim.: 9-1/16"Wx4"Hx10"D (not including bracket).

Order #	Mfg. #	Sugg.Ret.
5102532	MRH7	\$69.99



BOSS® MARINE SPLASH GUARDS

Universal application. Fits standard DIN opening marine units.


Order #	Mfg. #	Color	Sugg.Ret.
5103374	MRC5B	Black	\$29.99
5103375	MRC10	White	44.99



BOSS® MARINE RUBBER MAST ANTENNA

Universal application. Waterproof - 3 meters.

Order #	Mfg. #	Color	Sugg.Ret.
5103372	MR ANT 12W	White	\$14.99



BOSS® AUDIO SYSTEMS RADIO ANTENNA

Marine rubber antenna.

Order #	Mfg. #	Sugg.Ret.
5102533	MRANT12	\$9.99

BOSS® AUDIO SYSTEMS RADIO ANTENNA

Dipole design. Easy-to-install. Hides behind radio mounting location. 42" cable length.

Order #	Mfg. #	Sugg.Ret.
5102059	MR-ANT10	\$4.99



new

BOSS® MARINE MALE-TO-MALE CONNECTOR

1m in length. Black. Allows direct connection from external device to head unit.

Order #	Mfg. #	Sugg.Ret.
5103461	35AC	\$5.99



BOSS® MARINE RF WATERPROOF WIRELESS CONTROL

Waterproof, floatable wireless control.

Order #	Mfg. #	Sugg.Ret.
5103385	MRF90	\$92.99



TWO-WAY SPEAKERS

Boss® Marine loud speakers provide excellent performance in rough saltwater conditions. Designed with polypropylene cones, rubber surrounds & heavy-duty polymer-based speaker frames, ensure that speakers are impervious to moisture & eliminates any harm due to splashing of saltwater. The protective coating blocks UV rays, maintains material's integrity & keeps the speakers looking good.

BOSS® MARINE DUAL CONE SPEAKERS w/GRILLES

6.5" dual cone marine speakers. Includes grilles. 90W RMS. 185W peak power handling. Sold in pairs.

Order #	Mfg. #	Color	Sugg.Ret.
5103387	MR6W	White	\$44.99
5103466	MR6B	Black	44.99



BOSS® MARINE TWO-WAY MARINE SPEAKERS w/3 GRILLES

6.5" white 2-way marine speakers. Includes white, black & silver grilles. 100W RMS. 220W peak power handling.

Order #	Mfg. #	Sugg.Ret.
5103386	MR65G3	\$148.99

BOSS® MARINE 5-1/4" TWO-WAY SPEAKERS

150 watts peak power handling. Corrosion-proof plastic grille. Freq. Resp: 120Hz to 18kHz. Voice coil: 3/4" aluminum. Tweeter: 1" Mylar dome. Sold by pair.

Order #	Mfg. #	Color	Sugg.Ret.
5102060	MR-50	White	\$43.99
5102061	MR-50B	Black	39.99





BOSS® MARINE 6-1/2" TWO-WAY SPEAKERS

200 watts peak power handling. Corrosion-proof plastic grille. Freq. Resp: 80Hz to 20kHz. Voice coil: 1" aluminum. Tweeter: 1" Mylar dome. Sold by pair.



Order #	Mfg. #	Color	Sugg.Ret.
5102062	MR-60	White	\$49.99
5102063	MR-60B	Black	49.99

BOSS® MARINE MR650 6-1/2" TWO-WAY MARINE SPEAKERS

Features an outboard crossover which is contoured on its inner surface to mount snugly & securely to the rear housing. 250 watts peak power handling. Frequency response: 60Hz -18kHz. 1" aluminum voice coil. 1" mylar dome tweeter. Plastic grille. Sold by pair.



Order #	Mfg. #	Color	Sugg.Ret.
5102854	MR650	White	\$102.99

BOSS® MARINE 6X9 TWO-WAY SPEAKERS

350 watts peak power handling. Corrosion-proof plastic grille. Freq. Resp: 60Hz to 20kHz. Voice coil: 1" aluminum. Tweeter: 1" Mylar dome. Sold by pair.



Order #	Mfg. #	Color	Sugg.Ret.
5102064	MR-690	White	\$108.99

BOSS® MARINE MR752C 2-WAY MARINE SPEAKERS

Features removable tweeters & crossovers to be used as a component set. SPECS: 400W Power handling @ peak; 4 OHM Impedance; 40Hz - 20kHz Frequency response; SPL 1 Watt / 1 Meter is 90dB. Cone material: Poly injection. Voice coil: 1-1/2" Aluminum. Voice coil: 1" Mylar. Speaker size: 7.5".



Order #	Mfg. #	Color	Sugg.Ret.
5103272	MR752C	White	\$129.99

BOSS® MARINE MR652C 2-WAY MARINE SPEAKERS

Features removable tweeters & crossovers to be used as a component set. SPECS: 350W Power handling @ peak; 4 OHM Impedance; 60Hz - 20kHz Frequency response; SPL 1 Watt / 1 Meter is 92dB. Cone material: Poly injection. Voice coil: 1-1/2" Aluminum. Voice coil: 1" Mylar. Speaker size: 6.5".



Order #	Mfg. #	Color	Sugg.Ret.
5103273	MR652C	White	\$103.99

BOSS® MARINE MR105 MARINE SUBWOOFER

10", 4 OHM marine subwoofer. SPECS: 1000W Power @ peak; 500W RMS; 25Hz - 2kHz Frequency response; Efficiency 1 Watt / 1 Meter is 96dB. Cone material: Poly injection. Voice coil: 2-1/2". Mounting depth: 4-1/8".



Order #	Mfg. #	Color	Sugg.Ret.
5103274	MR105	White	\$118.99

BOSS® MARINE MRWT69 4-WAY WAKETOWER SPEAKER SYSTEM

Features marinized enclosure w/metal grilles. Ferro fluid enhanced. SPECS: 550W Power handling @ peak; 4 OHM Impedance; 40Hz - 20kHz Frequency response; SPL 1 Watt / 1 Meter is 95dB. Cone material: Metallic injection. Voice coil: 1-1/2" Aluminum. Tweeter: 2x1" Mylar dome. 80 oz. Magnet structure. Speaker size: 6" x 9".



Order #	Mfg. #	Color	Sugg.Ret.
5103275	MRWT69W	White	\$168.99

BOSS® MARINE MR695 6x9 TWO-WAY MARINE SPEAKERS

Features an outboard crossover which is contoured on its inner surface to mount snugly & securely to the rear housing. 400 watts peak power handling. Frequency response: 40Hz -18kHz. 1-1/2" aluminum voice coil. 1" mylar dome tweeter. Plastic grille. Sold by pair.



Order #	Mfg. #	Color	Sugg.Ret.
5102853	MR695	White	\$165.99

BOSS® MARINE MRWT69 WAKETOWER SPEAKER SYSTEM

4-way 6"x9" loudspeaker. Marinized enclosure. 550W peak power handling. 80 oz. magnet structure. 4 ohm impedance. Frequency response: 40Hz-20kHz. SPL 1 watt/1 meter: 95db. Metallic injection cone. 1-1/2" aluminum voice coil. 2x1" mylar dome tweeter. Metal grilles. Ferro fluid enhanced.



Order #	Mfg. #	Sugg.Ret.
5102519	MRWT69	\$168.99

BOSS® MARINE MR100/MR120 MARINE SUBWOOFER

600W peak power handling. 50 oz. magnet structure. 4 ohm impedance. Frequency response: 25Hz-2.5kHz. SPL 1 watt/1 meter: 94db. Poly injection cone. 2" kapton voice coil. 1" mylar dome tweeter. Plastic grilles. Ferro fluid enhanced.



Order #	Mfg. #	Size	Sugg.Ret.
5102518	MR100	10"	\$89.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

BOSS®

marine

new

BOSS® MARINE MR4.3 INDOOR/OUTDOOR SPEAKER

4" 3-way indoor/outdoor speaker. 100 watts max power. Piezo dome tweeter. Polypropylene woofer w/rubber surround. Aluminum grills. Includes mounting brackets for multi-angle mounting. UV protected speaker enclosure. Sold in pairs.

Order #	Mfg. #	Color	Sugg.Ret.
5103459	MR4.3W	White	\$59.99
5103460	MR4.3B	Black	59.99

BOSS® MARINE MR30 2-WAY BOX SPEAKER

200W peak power handling. 40 oz. magnet structure. 4 or 8 OHM impedance. Frequency response: 40Hz-20kHz. SPL 1 watt/1 meter: 94db. 1" aluminum voice coil. 1" mylar dome tweeter.

Order #	Mfg. #	Sugg.Ret.
5103140	MR30	\$118.99

**new**

C.E. SMITH™ 24" SLANT BACK ELECTRONICS BOX

Hand laid fiberglass construction. Acrylic door w/stainless keyed lock, hinges & prop-open spring. Slant back model is deeper providing more storage space & has a contoured top designed to fit perfectly into the Smith T-top canopy frame. It's 45° slanting back is a great place to mount stereo speakers. Includes a 54025 mounting kit. Dim.: 24-1/4"Wx23-1/2"Dx9-3/4"H.

Order #	Mfg. #	Sugg.Ret.
5103434	54100	\$599.99

new

C.E. SMITH™ 24" STRAIGHT BACK ELECTRONICS BOX

Hand laid fiberglass construction. Acrylic door w/stainless keyed lock, hinges & prop-open spring. Flat top style fits well under any style canopy & occupies less forward space to clear foul weather curtains. Will fit perfectly in between the Smith T-top canopy frame rails. Mounting hardware not included. Dim.: 24-1/4"Wx15-3/4"Dx9-3/4"H.

Order #	Mfg. #	Sugg.Ret.
5103435	54101	\$550.99

**new**

C.E. SMITH™ 30" STRAIGHT BACK ELECTRONICS BOX

Hand laid fiberglass construction. Acrylic door w/stainless keyed lock, hinges & prop-open spring. Flat top style fits well under any style canopy & occupies less forward space to clear foul weather curtains. Can be mounted under the Smith T-top when the uprights are installed more than 30" wide. Note, it will hang 3" lower than the 24's. •Dimensions: 30"Wx15-3/4"Dx9-3/4"H (mounting hardware NOT included).

Order #	Mfg. #	Sugg.Ret.
5103320	54130	\$434.99

new

C.E. SMITH™ ELECTRONICS BOX MOUNTING KIT

Designed specifically to mount Smith electronics boxes to the underside of the Smith T-top canopy frame which is crafted using 1"OD stainless tube. May also be used to mount any flat surfaced object to any 1"OD stainless tube. Includes (4) 1" OD clamps. 316L SS.

Order #	Mfg. #	Sugg.Ret.
5103321	54025	\$42.99

**new**

DUAL® MARINE CD RECEIVER

Offers robust connectivity to today's most popular electronics. Features direct USB control for iPod & iPhone devices and is SiriusXM-ready (requires SiriusXM Vehicle Connect Tuner - sold separately). Receiver also provides basic control for select internet radio apps for both wired and wirelessly connected devices. Built-in Bluetooth Wireless Technology supports hands-free calling, audio streaming & player control profiles. Receiver features a built-in 7-channel NOAA weather band tuner, front panel USB and 3.5mm auxilliary inputs, and an SD card input behind the faceplate. Total power output: 240 watts (6 watts x 4 channels). MOSFET powered. Built-in equalizer with 3-selectable EQ curves.

Order #	Mfg. #	Sugg.Ret.
5103442	AMB600W	\$159.99



**DUAL®****MARINE MECHLESS RECEIVER w/2 SPEAKERS**

Mechless AM/FM receiver (no CD player) - digital media only. MP3 & WMA playback. Front panel 3.5mm, USB & SD card auxiliary inputs w/silicone covers. 220 Watts total power (55x4). 8-Character positive white LCD. UV-resistant construction. Conformal coated circuit boards. EDP chassis & mounting sleeve. Includes wireless remote control, (1) pair of 6.5" speakers, & (1) pair of RCA preamp outputs.

Order #	Mfg. #	Sugg.Ret
5103351	MCP100	\$100.99

**DUAL®****MARINE CD RECEIVER w/2 SPEAKERS**

Marine AM/FM/CD-R/RW compatible receiver. Front panel 3.5mm auxiliary input & USB charging port w/silicone covers. 100 Watts total power (25x4). 7-Character positive white LCD. UV-resistant construction. Conformal coated circuit boards. EDP chassis & mounting sleeve. Includes wireless remote control, (1) pair of 6.5" speakers, & (1) pair of RCA preamp outputs.

Order #	Mfg. #	Sugg.Ret
5103353	MCP200S	\$156.99

**DUAL®****MARINE CD RECEIVER w/4 SPEAKERS**

Marine AM/FM/CD-R/RW compatible receiver. Front panel 3.5mm auxiliary input & USB charging port w/silicone covers. 100 Watts total power (25x4). 7-Character positive white LCD. UV-resistant construction. Conformal coated circuit boards. EDP chassis & mounting sleeve. Includes wireless remote control, (2) pairs of 6.5" speakers, & (1) pair of RCA preamp outputs.

Order #	Mfg. #	Sugg.Ret
5103354	MCP204	\$160.99

**DUAL®****MARINE MP3/WMA/USB/CD RECEIVER w/GIMBAL HOUSING & 2 SPEAKERS**

Marine AM/FM/MP3/WMA/CD-R/RW compatible receiver. MP3 & WMA playback. MOSFET powered amplifier. Front panel 3.5mm & USB auxiliary inputs w/silicone covers. SD card input behind face. 240 Watts total power (60x4). 8-Character positive white LCD. UV-resistant construction. Conformal coated circuit boards. EDP chassis & mounting sleeve. Includes wireless remote control, universal gimbal housing, (1) pair of 6.5" speakers, & (1) pair of RCA preamp outputs.

Order #	Mfg. #	Sugg.Ret
5103355	MCP300GH	\$183.99

**DUAL®****MARINE MP3/WMA/USB/CD RECEIVER w/WEATHERBAND TUNER & 2 SPEAKERS**

Marine AM/FM/MP3/WMA/CD-R/RW compatible receiver w/7-Channel NOAA weatherband tuner & direct USB control for iPod & iPhone. MP3 & WMA playback. MOSFET powered amplifier. Front panel 3.5mm & USB auxiliary inputs w/silicone covers. 240 Watts total power (60x4). 10-Character positive white LCD. UV-resistant construction. Conformal coated circuit boards. EDP chassis & mounting sleeve. Includes wireless remote control & (1) pair of 6.5" speakers

Order #	Mfg. #	Sugg.Ret
5103356	AMCP400W	\$170.99

**DUAL®****MXCP66 AM/FM/CD/MP3/WMA MARINE RECEIVER**

200 watts. Electronic volume, bass, treble, balance, fader. Electronic detachable face. Conformal coated circuit boards. Source audio memory. Rotary encoder control. Programmable turn-on volume. Multi-button power on. Keyless CD eject. 3-pair of preamp outputs, front panel input. USB front panel input. Positive white/black dot matrix type liquid crystal display. Wireless infrared remote. 5 selectable EQ curves. Programmable clock priority. Clock, mute, loudness. 3-level illumination dimmer. Selectable scrolling option. **CD/MP3/WMA:** CD-R/CD-RW compatible. MP3/WMA encoded CD-R/RW playback. Random/repeat/intro. Direct track access. Alphanumeric track search. High-speed audible track search. 1 bit D/A converter. **TUNER:** US/European frequency spacing. 30 station presets (18 FM/12 AM). Auto station store. Preset scan. One-touch memory. Auto stereo/mono. USB: Front panel connection. Full speed USB (12Mbps). Play MP3/WMA files from most mass storage devices. Charges most USB devices such as cell phone, iPod®, etc. Provides 5 volts DC, 500mA. **SPEAKERS:** 6.5" dual cone design. Corrosion-resistant ABS construction. NOTE: Model MXCP664S1 includes the SG1 Splashguard featuring UV-resistant plastic, dampened flip-up cover for easy access, stainless mounting hardware & four 6.5" dual cone speakers

Order #	Mfg. #	Sugg.Ret
5103230	MXCP664S1	\$234.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



DUAL® MXDMA8030 AM/FM/CD/MP3/WMA RECEIVER w/WIRED REMOTE

220 watts (55Wx4) peak. Electronic volume, bass, treble, balance, fader. Detachable & UV-resistant face and trim ring. Conformal coated circuit boards. Source audio memory. Rotary encoder control. Programmable turn-on volume. Keyless CD eject. 1-pair of preamp outputs, 1-pair of auxiliary inputs. iPlug™ interface cable. MWR30 wired remote. White/black dot matrix liquid crystal display. 5 selectable EQ curves. **CD/MP3/WMA:** CD-R/CD-RW compatible. Last position memory. Disc & directory random/repeat/intro/pause. Direct track access. High-speed audible track search. 1 bit D/A converter. Anti-shock mechanism. 3-beam laser pickup. Encoded C-R/RW playback. Alphanumeric track search. Displays ID3v1 tags. **TUNER:** 7 channel NOAA weatherband. US/European frequency spacing. 30 station presets (18 FM/12 AM). Preset scan. One-touch memory. Auto stereo/mono. Local/distance. **iPOD®:** Control & command all iPods® except Shuffle. Menu driven access for easy control. Displays all information including: Playlists, Artists, Album & Songs. Includes 2M iPod® interface cable. MWR30: UV-resistant housing & controls. Black/white LCD. 6M cable to head unit.

Order #	Mfg. #	Sugg.Ret.
5102825	MXDMA8030	\$155.99



DUAL® MXDM66 MARINE RECEIVER

General Specs.: 200 Watts Peak (50x4); 1.0 DIN rust-resistant chassis; Chassis dimensions - 7"Wx7"Dx2"H; Import ISO/DIN mountable; Electronic detachable face; UV-resistant faceplate & trim ring; Conformal-coated circuit board; Electronic volume, bass, treble, balance, fader; Source audio memory; Rotary encoder control; Programmable turn-on volume; Multi-button power on; Keyless CD eject; 3-Pair of preamp outputs; 3.5mm front panel input; USB front panel input; White/black dot matrix type liquid crystal display; Selectable brightness control for LCD; Wireless infrared remote; 5 Selectable EQ curves pop, jazz, classic, beat, rock; Programmable clock priority; Clock, Mute, Loudness. **Tuner Specs.:** US/European frequency spacing; 30 Station presets (18FM/12AM); Auto station store; Preset scan; One-touch memory; Auto stereo/mono. **CD/MP3/WMA Specs.:** CD-R/CD-RW compatible; MP3/WMA encoded CD-R/RW playback; Repeat/random/intro; Direct track access; Alphanumeric track search; High-speed audible track search; 1 Bit D/A converter; Displays MP3 ID3v1 tags; Displays WMA tags. **USB Specs.:** Front panel USB connection; Full speed USB (12Mbps); Play MP3/WMA files from most mass storage devices; Provides 5 volts DC, 500mA.

Order #	Mfg. #	Sugg.Ret.
5103227	MXDM66	\$121.99

DUAL® MWR30 WIRED REMOTE CONTROL

Works w/MXDM70 head unit. Integrated iplug™ allows you to listen to any portable music, video or multimedia player equipped with a 3.5mm headphone jack. UV-resistant housing and controls. Positive Blue dot matrix type liquid crystal display. 6M cable.



Order #	Mfg. #	Sugg.Ret.
5102491	MWR30	\$69.99

DUAL® IP35WG MARINE MP3 ADAPTER

iplug™ allows you to listen to any portable music, video or multimedia player equipped with a 3.5mm headphone jack through any head unit with standard RCA inputs. Constructed of UV-resistant plastic. Gold-plated connectors to protect from the harsh marine environment.

Order #	Mfg. #	Sugg.Ret.
5102490	IP35 WG	\$19.99



DUAL® MARINE SPLASH GUARDS w/FOLD-DOWN DOOR

Water & UV resistant construction. Universal design for 1.0 DIN chassis. Features fold-down door w/rubber seal. Tinted door provides protection & visibility of head unit display. EVA foam gasket. Stainless steel mounting hardware included. Can be mounted hinge up or down. Positive locking door mechanism. Concealed mounting hardware. Overall Dimensions: 9.82"x4.36"x1.57".

Order #	Mfg. #	Color	Sugg.Ret.
5103357	SG3	White	\$20.99
5103358	SG4	Gray	20.99



DUAL® MARINE GIMBAL HOUSING w/FOLD-DOWN DOOR

Water & UV resistant construction. Universal design for 1.0 DIN chassis. Features fold-down door w/rubber seal. Tinted door provides protection & visibility of head unit display. Rubber grommets for cable protection. Stainless steel mounting hardware included. Can be mounted hinge up or down. Positive locking door mechanism. One-piece mounting bracket. Fully adjustable mounting angle. Overall Dimensions: 9.84"x5.67"x11.50".

Order #	Mfg. #	Color	Sugg.Ret.
5103359	MH200	White	\$36.99



DUAL® WEATHER-RESISTANT MARINE SPEAKERS

6.5" Dual-cone, integrated grille design. 25 Watts RMS/100 watts peak. UV-resistant construction. Features 1-piece basket w/water shield. Injection-molded polypropylene cone. Poly-coated cloth surround. Stainless steel mounting hardware included. Mounting depth: 2.13". Frequency response 45Hz-15kHz. Sensitivity 88dB. 4 Ohm nominal impedance.

Order #	Mfg. #	Color	Sugg.Ret.
5103360	DMP670	White	\$28.99



DUAL® DMS651 DUAL CONE SPEAKERS

6.5". Magnetically shielded weather-resistant woofer. Santoprene rubber surround. UV-impregnated ABS heat-resistant weatherproof grille. 1-piece formed ABS basket holds up to the elements. Polypropylene cone & dust cap. Recommended amplifier power: 10-60 watts RMS, 200 watts peak. Frequency: 65Hz - 18kHz. Woofer: 6.5" 11 oz., magnet with 2 layer voice coil. Requires 3.45" mounting depth & 5.63" cutout diameter. Dimensions: 7.25" diameter. 1-year limited warranty.

Order #	Mfg. #	Sugg.Ret.
5102496	DMS651	\$54.99





DUAL® DMS652 COAXIAL SPEAKERS

6.5". Magnetically shielded weather-resistant woofer. Santoprene rubber surround. UV-impregnated ABS heat-resistant weatherproof grille. 1-piece cast ABS basket holds up to the elements. Polypropylene cone & dust cap. Recommended amplifier power: 10-65 watts RMS, 175 watts peak. Woofer: 6.5" 11 oz., magnet with 2 layer voice coil. Requires 3.45" mounting depth & 5.63" cutout diameter. Dimensions: 7.25" diameter. Frequency: 65Hz - 20kHz. 1-year limited warranty.


Order #	Mfg. #	Sugg.Ret.
5102153	DMS652	\$53.99



DUAL® DMS692 COAXIAL SPEAKERS

6"x9". Magnetically shielded weather-resistant woofer. Santoprene rubber surround. UV-impregnated ABS heat-resistant weatherproof grille. 1-piece cast ABS basket holds up to the elements. Polypropylene cone & dust cap. Recommended amplifier power: 10-80 watts RMS, 200 watts peak. Frequency: 55Hz - 22kHz. Woofer: 6x9" 20 oz., magnet with 2 layer voice coil. Requires 3.82" mounting depth & 5.75"x8.80" cutout diameter. Dimensions: 7.75"x10" diameter. 1-year limited warranty.

Order #	Mfg. #	Sugg.Ret.
5102154	DMS692	\$83.99



FUSION® MS-RA200 SUPER-COMPACT MARINE STEREO UNIT

Made for iPod. Works w/the iPhone. Fully integrated iPod user interface. USB connectivity - MP3 playback from portable flash drives. Palm size design - ideal for space conscious installations. 100% aluminum chassis w/face plate measuring 6-3/16"L x 2-11/16"W. High Quality AM/FM Tuner w/RDS. VHF receiver for on-water weather & coastguard update. Sirius satellite ready. Compatible w/SiriusConnect Universal Tuner. Dot matrix LCD display featuring variable back lighting. Powerful 50W x 4 (Max) Amplifier. IPx5 Waterproof rating on front of unit, when correctly bulk head mounted. Innovative Multi-Zone Technology. 2-Zone configurable for different levels of volume in different areas of the boat. Fusion Alpha Search Technology (FAST) allows for quick navigation of your iPod data. Electronic bass / treble / balance control. Large rotary encoder & large rubber back lit buttons for simple operation on moving vessel. Subwoofer limit control. Auxiliary input. Zone line out (1 x stereo, 1 x subwoofer).

Order #	Mfg. #	Cover	Sugg.Ret.
5103261	RA200G	Grey	\$199.99



FUSION® MS-RA200KTSD STEREO PACKAGE

Consists of the MS-RA200 Marine Stereo combined with the MS-DKI-PUSB Portable Media Device Dock & a set of MS-EL602 6" shallow mount economy speakers (160 watts).

Order #	Mfg. #	Sugg.Ret.
5103480	MS-RA200KTSD	\$299.99



FUSION® MS-RA50 SUPER-COMPACT MARINE STEREO

Super-compact for more installation options. Rugged aluminum die cast chassis. New "shallow" case back design. AM/FM (w/RDS). iPod compatible. Complete control of the iPod music library - fully integrated iPod user interface. Very simple controls - most operations are controlled by the rotary encoder. ID3 Tag (Title/Album/Artist) - displays embedded information from music files. Able to partner w/iPod dock (MS-IPDOCKG2 - not included). Aux input. Single Zone, 2-Channel x 45W. 1 x Subwoofer output. Daylight viewable 2.3" 128 x 64 LCD. Powerful 32-bit ARM based processor. IP-x5 water resistance standard front & rear. Multi-language user interface - English, French, Italian, German, Spanish & Dutch. Key & LCD adjustable Backlighting. Color: black w/white trim.

Order #	Mfg. #	Sugg.Ret.
5103339	MSRA50	\$129.99



FUSION® MS-IP600G IPOD STEREO UNIT

Die Cast Chassis, "True Marine" construction. Key Features: IPx5 waterproof 360. True docking iPod interface. Accepts all iPod models including iPhone (except Gen. 1 iPods & Shuffle). AM/FM/Sirius-Ready. 4x70 Watts. Up to 3 zone audio control. Full dot matrix display. Emulates iPod interface. Multi-lingual software (English, French, Spanish, Italian, German, Dutch). Large easy-to-read/use rotary knob & keys. Warranty: 3-Year Parts & Labor, followed by 2-Year Flat Rate Repair Warranty.

Order #	Mfg. #	Finish	Sugg.Ret.
5103145	MS-IP600G	Black	\$349.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

FUSION®



FUSION® MS-IP700 MARINE IPOD STEREO

iPod/iPhone/AM/FM/VHF & WX/AUX/USB/Sirius ready. Internal USB jack for flash drive to play MP3 files. Internal iPod/iPhone dock. 70Wx4 output w/built-in Class-D amplifier. Daylight viewable 2.7" QVGA colour TFT LCD screen 320x240. Rugged aluminum die cast chassis. Powerful ARM 9 350 MHz processor. IP-x5 water resistance standard front & rear. Ethernet Connectivity. NMEA 2000 Connectivity. FUSION-link capable. 4 Zone Support - Zones are nameable. Zones 2 - 4 can be disabled, each zone has sub out, balance control & volume limit control. VHF Receiver w/squelch control - listen to VHF channels like Weather. Customizable AUX screen - select from an image of TV/DVD/Game or Portable media device. Tone control operated by holding the encoder down - bass & treble. Complete control of the iPod music library - fully integrated iPod user interface. iPod/iPhone track art displayed in color. Very simple controls - most operations are controlled by the rotary encoder. ID3 Tag (Title /Album/Artist) - displays embedded information from music files. Multi-language user interface - English, French, Italian, German, Spanish & Dutch. Key & LCD adjustable backlighting. 12 or 24 hour clock w/alarm function.

Order #	Mfg. #	Sugg.Ret
5103338	MSIP700	\$499.99
5103482	SIRIUS RECEIVER FOR 700 SERIES MS-ACSXV-ONLY	69.99



FUSION® MS-AV700 MARINE DVD STEREO

DVD/CD/iPod/iPhone/AM/FM/VHF & WX/AUX/USB/Sirius ready. 70Wx4 output w/built-in Class-D amplifier. Daylight viewable 2.7" QVGA colour TFT LCD screen 320x240. Rugged aluminum die cast chassis. Powerful ARM 9 350 MHz processor. IP-x5 water resistance standard front & rear. Ethernet Connectivity. NMEA 2000 Connectivity. FUSION-link capable. 4 Zone Support - Zones are nameable. Zones 2 - 4 can be disabled, each zone has sub out, balance control & volume limit control. Able to partner w/iPod dock (MS-IPDK or MS-IPDKUSB - not included). VHF Receiver w/squelch control - listen to VHF channels like Weather. Customizable AUX screen - select from an image of TV/DVD/Game or Portable media device. Tone control operated by holding the encoder down - bass & treble. Complete control of the iPod music library - fully integrated iPod user interface. iPod/iPhone track art displayed in color. Very simple controls - most operations are controlled by the rotary encoder. ID3 Tag (Title/Album/Artist) - displays embedded information from music files. Multi-language user interface - English, French, Italian, German, Spanish & Dutch. Key & LCD adjustable backlighting. 12 or 24 hour clock w/alarm function.

Order #	Mfg. #	Sugg.Ret
5103337	MSAV700	\$649.99
5103482	SIRIUS RECEIVER FOR 700 SERIES MS-ACSXV-ONLY	69.99

new

FUSION® MS-DKIPUSB PORTABLE MEDIA DEVICE DOCK

Connect MS-DKIPUSB Marine Portable Media Device Dock to your MS-AV700 or MS-RA200 Marine Stereo & gain all the benefits of unique iPod connectivity, iPod video playback and 2 USB ports. Features Internal Dock for iPod & 2 USB ports for portable flash drive playback. iPod & USB flash can be inserted into the waterproof dock, providing full control & integration while charging. iPod is securely protected from rough conditions & harsh marine elements via dedicated iPod sleeves fitted to the dock. Second USB port on rear of dock, enables the connection of a further USB flash drive. Featuring composite video out which enables iPod/iPhone video playback on a compatible monitor or television. Can be installed away from stereo, allowing valuable dash space to be optimized. Dock connects directly to your Marine Stereo, allowing full control & integration of your iPod through the stereo. When bulkhead mounted, the dock complies with IPX5 Waterproof Standards on the front of your unit.

Order #	Mfg. #	Sugg.Ret.
5103479	MS-DKIPUSB	\$69.99



FUSION® MS-CD600G CD/CD-MP3 (w/iPOD INTERFACE) STEREO UNIT

Die Cast Chassis, "True Marine" construction. Key Features: IPx5 waterproof 360. CD/CDmp3 player w/Electronic Skip Protection (ESP). AM/FM/Sirius-Ready. 4x70 Watts. Wireless remote control. Up to 3 zone audio control. Full dot matrix display. Emulates iPod interface. Multi-lingual software (English, French, Spanish, Italian, German, Dutch). Large easy-to-read/use rotary knob & keys. Warranty: 3-Year Parts & Labor, followed by 2-Year Flat Rate Repair Warranty.

Order #	Mfg. #	Finish	Sugg.Ret
5103146	MS-CD600G	Black	\$369.99



FUSION® MS-NRX200 WIRED REMOTE

Compatible w/the MS-IP700/AV700. NMEA 2000 Connectivity. IP-X7 water resistant. FUSION-Link capable. Large 2.6" Monochrome FSTN LCD. 128 x 64 pixels. Screen is high contrast, viewable in direct sunlight. Key & LCD adjustable Backlighting. STM32 Micro Processor. Control multiple 700 Series stereo units connected to the N2K network. NMEA 2000 Repeater - will display basic information from units connected to the N2K network. Compact size for ease of installation on dashes. FUSION Alpha Search Technology.

Order #	Mfg. #	Sugg.Ret
5103340	MSNRX200	\$189.99

FUSION®

FUSION® MS-WR600C WIRED REMOTE CONTROL

Full function remote for all 600 Series head units. Allows user to remotely operate unit for any station, cabin, etc. Up to 4 remotes can be added to a single head unit.



Order #	Mfg. #	Finish	Sugg.Ret
5103148	MS-WR600C	Chrome	\$159.99

FUSION® MS-IPDOCKG2 EXTERNAL IPOD DOCK

Allows user to dock iPod in safe, secure, waterproof enclosure. Works w/all iPods including iPhone (except Gen. 1 iPods & Shuffle). No bouncing or banging while underway. Unit can be both cabinet or dash mounted. Comes complete w/dock & dash kit.



Order #	Mfg. #	Finish	Sugg.Ret
5103147	MS-IPDOCKG2	Metallic Gray	\$59.99

FUSION® FM-402 2-CHANNEL AMPLIFIER

Suitable for driving ONE pair of Fusion® Marine Speakers or Fusion® Marine 400W, 10" Subwoofer to increase bass level. Built for tough marine environment w/ conformal coated PCB & stainless steel end panels.



Order #	Mfg. #	Sugg.Ret
5103149	FM-402	\$199.99

FUSION® MS-BX3020 CUBE SPEAKERS

3" paper cone impregnated w/water resistant fibres. Designed for internal use in saloons or cabins. For full home theatre experience, connect cube speakers to the MS-AR1060 active subwoofer (not included) for amplified sound. ABS + UV speaker enclosures withstand the marine environment. Features Dual Pivot design enabling a mixture of direct & reflected cabin filling sound. Includes rotating mounting brackets for easy installation into cabin locations from various different angles.



Order #	Mfg. #	Sugg.Ret
5103342	MSBX3020	\$149.99

FUSION® MS-SW10 10" MARINE SUBWOOFER

10" Waterproof free air subwoofer w/ matching grill to the FR Series white grill. Replaces model: FWM-10



Order #	Mfg. #	Sugg.Ret
5103151	MS-SW10	\$119.99

new

FUSION® MS-EL602 6" ECONOMY SPEAKER

Shallow mount. 160 watts. Sold in pairs.



Order #	Mfg. #	Sugg.Ret.
5103481	MS-EL602	\$59.99

FUSION® MS-FR602 200 WATT 2-WAY SPEAKERS

6", 200 Watt 2-Way speakers. Magne-type engineered to minimize interference. Mounting depth: 3". Tweeter-type titanium dome. Complies w/ASTM Standards for UV stability and salt/fog resistance. Complies w/IP65 Waterproof and Dust Standards. Sold complete w/3 grill options in each box (cloth, standard, sport).



Order #	Mfg. #	Sugg.Ret
5103150	MS-FR602	\$149.99

new

FUSION® MS-RA50 ACCESSORY CABLE

1.5 meter serial sync cable made for iPod & iPhone. Allows for direct connection to the MS-RA50 Marine Stereo. Once connected the MS-RA50 will have full control of the iPod or iPhone music interface. **NOTE:** Only compatible w/the MS-RA50 Marine Stereo.



Order #	Mfg. #	Sugg.Ret.
5103483	MS-IP15L3	\$34.99

Infinity
by HARMAN

new

INFINITY PRV250 AM/FM/BLUETOOTH® MULTIMEDIA RECEIVER

Bluetooth® audio streaming. 4x50 watts. Solid aluminum chassis. Aux-in. Portable-media ready. USB input. ASTM 117 salt fog. 1 pair of RCA outputs. IP66 waterproof face. Comes w/flush-face mounting kit. Charging through USB port. RF remote/wire remote ready (remotes sold separately). Size: 6"Lx4"Wx2-1/2"D.



Order #	Mfg. #	Sugg.Ret.
5103443	INF-PRV250	\$229.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**new**

INFINITY MPK250 AM/FM/BLUETOOTH® MULTIMEDIA RECEIVER & SPEAKERS

Contains INF PRV250 Receiver & INF612BC two-way marine speakers. **Receiver:** Bluetooth® audio streaming. 4x50 watts. Solid aluminum chassis. Aux-in. Portable-media ready. USB input. ASTM 117 salt fog. 1 pair of RCA outputs. IP66 waterproof face. Comes w/flush-face mounting kit. Charging through USB port. RF remote/wire remote ready (remotes sold separately). Size: 6"Lx4"Wx2-1/2"D. **Speakers:** 225 watts handling power. Frequency Response: 50-20,000 Hz. Sensitivity: 92dB. Polypropylene woofer cone. Rubber surrounds. Integrated grille assembly. UV- and water-resistant construction. Mounting depth: 2-5/8". Installation size: 5-1/16".

Order #	Mfg. #	Sugg.Ret.
5103444	INF-MPK250	\$399.99



INFINITY 6100M SKI BOAT TOWER COMPLETE SYSTEM

Includes: INF 6100M speaker, control head & main amp. DYNAMIC MICROPHONE/CONTROL HEAD: Protected from salt-spray & water. 2 thumb wheels for independent source & mic volume. Push-to-talk switch. 3-position power switch. Includes 1m coiled cord with 5m straight portion. MAIN AMP: White finish. Pigtail leads for speaker output, power, ground & remote. Line input: 250mV-4V sensitivity. Includes fixed, high-pass filter resonance. Mic input includes fixed compression and/or AGC & bandpass filter. One preamp output/remote trigger output to feed aux amp.

Order #	Mfg. #	Sugg.Ret.
5102201	INF6100M	\$999.99

INFINITY 6000M SKI BOAT TOWER SPEAKER

Withstands salt-spray & UV. Water-tight. Plastic housing. Power handling: RMS 100 watts, Peak-300 watts. Sensitivity: 90dB. Aluminum mounting bracket. Fits bars from 1-1/2"-3". Includes 13m speaker cable with matching terminals. Size: 18"Wx11"Dx8.5"H (not including bracket).

Order #	Mfg. #	Sugg.Ret.
5102200	INF6000M	\$709.99



INFINITY INF-612 SPEAKERS

225 Watt handling power. Frequency response: 50-20,000 Hz. Mounting depth: 2-5/8". Installation size: 5-1/16". Sensitivity: 92dB. Polypropylene woofer cone. Rubber surrounds. Integrated grille assembly. UV & water-resistant construction. 1 pair.

Order #	Mfg. #	Sugg.Ret.
5103160	INF-612M	\$169.99



JBL MR18S AM/FM/CD RECEIVER

Sirius-ready. Waterproof face. 4x45 watts. Line output terminals (x 2 pairs). Flip-down face. ESP (Electronic Shock Protection). iPod®-ready. Unique 2-line, positive display. Rotary encoder multi-control. Wired remote ready. Bass/treble/balance controls. Preamp fader control. Electronic volume control. Volume attenuator. Random/repeat play. Intro scan. Beep-tone support. Installation size: 7-1/8"Wx2-1/8"Hx6-3/4"D. Overall size: 7-3/8"Wx2-1/4"Hx7-3/4"D.

Order #	Mfg. #	Color	Sugg.Ret.
5102484	JBLMR18S	Silver	\$249.99



JBL MR145S AM/FM/CD RECEIVER

AM/FM/CD receiver features front aux. input allowing MP3 portable media to be plugged into watertight plug. 4x45 Watts. Features: ESP, electronic volume control, & wired remote ready. Overall size: 7-5/16"W x 2-1/4"H x 7-3/4"D. Finish: Silver.

Order #	Mfg. #	Sugg.Ret.
5103119	JBLMR145S	\$149.99

**new**

JBL MBB2020 BLUETOOTH® BLACK BOX SYSTEM

Bluetooth® audio streaming. 4x50 watts. AM/FM tuner. Aux in. E-prom. 3 pair RCA outputs including subwoofer. U.S. & European tuning. USB input & control. Built in RF remote receiver (transmitter, MILRF9, is purchased separately). Implements RS485 communication protocol x 2 ports.

Order #	Mfg. #	Sugg.Ret.
5103445	JBLMBB2020	\$299.99



JBL MINI PLUG WITH USB

Auxiliary input that allows use of wither adn iPod/MP3 player or a USB to play through the stereo system. Can be used to plug in MP3 players, lap-top computers, VHF radios, satellite radios and more. 72" cord. 1-11/16" diameter. Installation depth: 1-9/16". Cutout Diameter: 1-5/16".

Order #	Mfg. #	Sugg.Ret.
5102847	SEA-USBMINI	\$21.99





JBL MPS-1000 10" AMPLIFIED SUBWOOFER

250W class D amp. Rear of woofer protected from being damaged by gear in storage areas. Pigtail hookup to better integrate it into the boat's wiring harness. Waterproof controls recessed in front for easy adjustment. OD: 12.8". Cutout: 10.5". Mounting depth: 8". Grill ht: 1".

Order #	Mfg. #	Sugg. Ret.
5102835	JBLMPS-1000	\$449.99



JBL MS6100 MARINE SPEAKERS

Power handling: RMS-35 watts, Peak-105 watts. Sensitivity: 90dB. Frequency response: 55Hz-18kHz. Polypropylene woofer cone. Rubber surround. UV & water-resistant construction. Integrated grille assembly. Installation size: 5-1/16"Wx 5-1/16"Hx2-1/2"D.

Order #	Mfg. #	Sugg. Ret.
5102395	MS-6100	\$103.99



JBL MS6200 MARINE SPEAKERS

6-1/2" Two-way integrated grille assembly. Power handling: RMS-60 watts, Peak-180 watts. Sensitivity: 91dB. Frequency response: 55Hz-20kHz. Polypropylene woofer cone & dome tweeter. UV & water-resistant construction. Installation size: 5-1/16"Wx 5-1/16"Hx2-1/2"D.

Order #	Mfg. #	Sugg. Ret.
5102396	MS-6200	\$124.99



JBL MS9200 MARINE SPEAKERS

6" Two-way integrated grille assembly. Power handling: RMS-100 watts, Peak-300 watts. Sensitivity: 91dB. Frequency response: 50Hz-21kHz. Polypropylene woofer cone. 1-3/8" balanced dome tweeter. UV & water-resistant design. Encapsulated motor. SS hardware included. Installation size: 6"x 8-3/16"x3-1/8"D.

Order #	Mfg. #	Sugg. Ret.
5102568	MS9200	\$249.99



JBL MA6002/MA6004 2-CHANNEL/4-CHANNEL AMPLIFIERS

Fully marinized circuit boards to keep salt air and corrosion away from the circuit path. On-board 12dB electronic crossovers to provide tuning options for systems of any size. Variable bass-boost. Low-profile heatsink allows for installation in tight spaces. Large gauge barrier strips allow easy hookup and use of larger gauge premium power, ground and speaker cable. MA6002: 160 watts at 2 ohms, 60W RMS x 2 channels at 4 ohms, less than or equal to 1% THD+N. MA6004: 145 watts at 2 ohms, 60W RMS x 4 channels at 4 ohms, less than or equal to 1%THD+N.

Order #	Mfg. #	Model	Sugg. Ret.
5102504	JBLMA6002	2-Channel	\$159.99
5102505	JBLMA6004	4-Channel	189.99



new

JENSEN® MS30RTL AM/FM/USB COMPACT WATERPROOF (IPX6) STEREO

Self-contained AM/FM/USB compact 3.5" round waterproof stereo. Features 160 watts, a USB input for MP3 devices along with an auxiliary input and a line out (RCA). Large, daylight readable LCD display w/blue backlit controls to offer boaters a user-friendly interface. Economical stereo fits a 3" gauge hole and has UV-resistant finishes & corrosion-resistant materials to guarantee it withstands life in a rough aquatic environment.

Order #	Mfg. #	Sugg. Ret.
5103470	MS30RTL	\$124.99



new

JENSEN® MS2013BT AM/FM/USB WATERPROOF STEREO w/BLEETOOTH®

160 watts (40w x4). IPX5 waterproof rated. AM/FM electronic tuner. Bluetooth interface capability. USB input for full iPod interface as well as other USB based MP3 devices. Low battery warning. Zero current memory draw. Rear auxiliary input. Wired remote capable. Pre-amp line out audio. EQ presets. Conformal coated circuit boards. Solid top chassis. UV-resistant materials - ASTM D4329 compliant. Corrosion-resistant finish - ASTMB117. Standard DIN chassis. Regulatory certifications FCC/CE/RoHS/C-TICK. Complies w/UL60065.

Order #	Mfg. #	Sugg. Ret.
5103471	MS2013BTR	\$199.99



JENSEN® JMS7010 AM/FM/CD/ USB/iPOD® & SIRIUS® SATELLITE RADIO READY STEREO

200 watts. Full iPod®/iPhone® controls. Waterproof and Charging SIRIUS® Satellite Radio ready GEN 3. Direct connect. USB input supports MP3/WMA formats. NOAA Weatherband. Full dot matrix display. Radio broadcast data system. Low battery audible warning. Zero current memory draw. Auxiliary audio input (RCA). Waterproof rating of IPX6. JWR Series wired remote ready. Positive LCD display. Preamp line level outputs. 30 seconds of electronic CD Skip protection. Non-volatile memory for presets & user settings 2-wire power (ACC, GND). Conformal coated PCB. Plastic PCB insulator. Sealed chassis. ASTM B117 salt spray exposure standard compliant & ASTM D4329 UV exposure standard compliant.

Order #	Mfg. #	Sugg. Ret.
5103266	JMS7010	\$299.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



M A R I N E



JENSEN® JMS2212 AM/FM/WB USB/iPOD® & SIRIUS® SATELLITE RADIO READY STEREO

200 watts. Compact "Black Box" design. Low profile IPX5 waterproof commander. USB feature allows connection of jump drive for digital music. Full iPod® controls. SIRIUS® Satellite Radio ready GEN 3. NOAA Weatherband. Low battery warning. Zero memory current draw. JWR Series wired remote capable. Multiple line LCD display. US/Euro. Separate waterproof (IPX5 rated) tuner/amplifier module can be remotely mounted. 2-wire power. Auxiliary Audio Input (RCA).

Order #	Mfg. #	Sugg.Ret
5103270	JMS2212	\$229.99



JENSEN® MSR3012RTL STEREO

Features white marine housing (MRH211W). AM/FM/CD. 160 Watts (4x40W). Solid top chassis. SiriusXM satellite ready (requires SX-V100B tuner). Silver colored sealed faceplate. Full iPod controls. Front USB input. Front Aux input. 40 Second skip protection. MWR Series wired remote capable. Low battery warning.

Order #	Mfg. #	Sugg.Ret
5103366	MSR3012RTL	\$164.99



JENSEN® DVDB0112 VOLT DVD PLAYER

DIN Mount included. Positive amber colored LCD for improved day-light viewing. Single DVD/CD playback (Supports DVD, VCD, CD-DA, MP3, WMA formats). Features on-screen-display menu for status readout and settings control. Selectable video output aspect ratio (4:3, 16:9). Includes parental lock, clock, & volume/mute controls. EQ presets classical, pop, & rock. Low-level A/V output (RCA) [variable audio]. Front & rear A/V inputs (RCA female). Compatible w/Jensen® TV remote controls. Programmable video output (PAL/NTSC). Full function wireless remote included. Jensen® MWR75 wired remote compatible. ESP: DVD (3 secs.), CD (15 secs.).

Order #	Mfg. #	Finish	Sugg.Ret
5103111	DVDB01	Black	\$169.99



JENSEN® CPM420 PACKAGE

Package includes (1) black-faced waterproof WMS190 stereo, (1) jPortG 1/8" auxiliary input jack, & (2) black 6.5" AMS602B speakers. Model WMS190 stereo features: 160 Watts, AM/FM, SIRIUS satellite ready, positive LCD display, auxiliary input, & waterproof face. AMS602B speakers feature: 6.5" Dual cone speakers, 60 watts, one-piece basket design, & speaker mounting hardware package.

Order #	Mfg. #	Sugg.Ret
5103299	CPM420	\$183.99

**new**

JENSEN® CPM530 AM/FM/CD STEREO COMBO PACKAGE

Includes MCD5090 stereo, pair of AMS602W 6-1/2" dual cone speakers & a MRH211W marine housing. 160 watts (4x40W). Conformal circuit boards. Front AUX input. LED backlit controls. UV stable plastic.

Order #	Mfg. #	Sugg.Ret
5103472	CPM530	\$149.99

**new**

JENSEN® CPM535GH M/FM/CD STEREO COMBO PACKAGE

Includes MCD5090 stereo, pair of 6-1/2" dual cone speakers & a MGH300 marine housing (waterproof gimbal housing). 160 watts (4x40W). Conformal circuit boards. Front AUX input. LED backlit controls. UV stable plastic.

Order #	Mfg. #	Sugg.Ret
5103473	CPM535GH	\$159.99

**new**

JENSEN® SIRIUS SATELLITE RADIO TUNER GEN 3.0

Compatible with the "SIRIUS Everything plus the Best of XM" package. 1.5M cable included. Requires SIRIUS Satellite Antenna (sold separately). Compatible with the following: JMS7010, JRV210, MSR2007 (Rev.D & later), MSR2010, MSR2107, MSR3007 (Rev. D & later), MSR3007BRP (Rev. D & later), MSR3007RTL (Rev. D & later), MSR3007MTG (Rev.C & later).

Order #	Mfg. #	Sugg.Ret
5103475	SCC1MS	\$49.99



new

JENSEN® SXV200B SIRIUSXM RECEIVER

For use with SIRIUSXM ready marine stereos. Connect, control & enjoy SIRIUSXM through the boat's in-dash audio system. Compact size hides discreetly behind the dash for a fully integrated look. Single interface cable connection to SIRIUSXM ready stereo simplifies installation. Requires external antenna (SRA25). Subscription required.

Order #	Mfg. #	Sugg.Ret.
5103476	SXV200B	\$69.99



new

JENSEN® MWR150 WIRED REMOTE

Compatible with MSR & MS Series stereos. Space saving design. Waterproof design (IPX6 rated). Conformal coated circuit boards. White backlit controls & LED illumination. Full function sunlight readable display. Removable chrome trim. UV resistant finish (meets ASTM D4329 standards). Corrosion-resistant materials (meets ASTM B117). 20' extension cable included. Ignition protection certified. Surface or in-panel mounting options.

Order #	Mfg. #	Sugg.Ret.
5103474	MWR150	\$89.99



JENSEN® MRF27 WATERPROOF WIRELESS REMOTE CONTROL

Waterproof. Floats. Transmits up to 100' away from receiver. Remote control of radio functions: Power On/Off, Volume Up/Down, Tune/Track/Seek, Select playback modes, & Mute. UV-resistant. Can be used w/existing factory wired remotes. Easy to install. Includes holster to hold remote on any surface. CR2032 3V DC battery included. Can be used w/MSR Series Stereos.

Order #	Mfg. #	Sugg.Ret.
5102796	MRF27	\$99.99



JENSEN® JWR200 WATERPROOF WIRED REMOTE

Compatible with the JMS Series of stereos. Waterproof wired remote with display. Positive LCD display with backlit controls. Mounting hole: 2-7/8".

Order #	Mfg. #	Sugg.Ret.
5103267	JWR200	\$89.99



JENSEN® MSX60SR 65 WATTS SPEAKER

6.5" coaxial marine speaker. Waterproof and designed for marine use. Dome titanium tweeter. 65 watts peak power. Usable frequency: 65Hz-20kHz. Sensitivity: 88dB. Impedance: 4 Ohms. Magnet: 10 ozs. Mounting depth: 2-3/8". ASTM B117 Salt Spray Exposure Standard compliant. ASTM D4329 UV Exposure Standard compliant. Color: Silver. Sold in pairs.

Order #	Mfg. #	Sugg.Ret.
5102800	MSX60SR	\$654.99



JENSEN® MSX60CSS

6.5" silver component speaker set. Waterproof and designed for marine use. Titanium tweeter. Tweeter Type: Silk Dome. Tweeter Material: Neodymium. Polypropylene woofer. 65 watts peak power. Usable frequency: 65Hz-20kHz. Sensitivity: 91dB. Impedance: 4 Ohms. Magnet: 11 ozs. Mounting depth: 2-1/3". ASTM B117 Salt Spray Exposure Standard compliant. ASTM D4329 UV Exposure Standard compliant. Color: Silver. Sold in pairs.

Order #	Mfg. #	Sugg.Ret.
5102801	MSX60CSS	\$129.99



JENSEN® MSX65R 150 WATTS MARINE SPEAKERS

Silver & white grilles included. Max power handling: 150 Watts (pair). Frequency: 65Hz-20Hz. Nominal impedance: 4 Ohms. 6-1/2" Polypropylene woofer. Magnet: 11 oz. 6.5" Mounting hole diameter. 2-3/8" Mounting depth. Tweeter type: dome. Tweeter material: Silk. ASTM B117 salt spray exposure compliant. ASTM D4329 UV exposure standard compliant.

Order #	Mfg. #	Sugg.Ret.
5103367	MSX65R	\$89.99



JENSEN® MS6007WR 120 WATTS COAXIAL MARINE SPEAKERS

Designed for marine use. Weatherproof. Max power handling: 120 Watts (pair). Frequency: 65Hz-20Hz. Nominal impedance: 4 Ohms. 6-1/2" Polypropylene woofer. Magnet: 9.8 oz. 5" Mounting hole diameter. 2-3/8" Mounting depth. Tweeter type: dome. Tweeter material: titanium. ASTM B117 salt spray exposure compliant. ASTM D4329 UV exposure standard compliant. White.

Order #	Mfg. #	Sugg.Ret.
5103368	MS6007WR	\$59.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
Motors

M A R I N E

Depth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

JENSEN® MXA6BA SUBWOOFER

6" amplified marine powered subwoofer. 200 watts. Water-resistant housing (IPx5). Conformal coated circuit boards. Vertical and horizontal mounting provisions. Easy access to gain control and frequency response. Meets ASTM B117 salt fog & ASTM D4329 UV testing specifications. Amplifier frequency response: 40Hz - 280Hz. Voice coil size: 30mm. Overall dimensions: 16"Wx8.5"Hx3.75"D. Power system: 12VDC.



Order #	Mfg. #	Sugg.Ret.
5102482	MXA6BA	\$205.99

JENSEN® 10" MARINE SUBWOOFER

Sealed design (front). Maximum power: 300 Watts. Frequency response: 20 Hz - 1KHz. RMS power range: 300 watts. Impedance: 4 Ohms. Voice coil size: 2". Mounting depth: 4.8". UV and corrosion resistant materials. Features aluminum chassis w/silver powder coated finish, nickel-plated copper terminals & insulated tinsel leads, & silver ABS grille. Designed for Free Air (infinite baffle) enclosures.



Order #	Mfg. #	Sugg.Ret.
5103109	MSW10S	\$109.99

JENSEN® JSP20 WATERPROOF iPOD®/MP3 DEVICE STORAGE POCKET

Recessed storage pocket for iPhone®, iPod® or MP3 playback device. Completely waterproof. Low profile design needs only 1.75" of mounting depth. Can also be used to mount the JMS2212, MSR2107 or MSR2007 commander for single location mounting. Dimensions: 5.77"Hx6.68"W.



Order #	Mfg. #	Sugg.Ret.
5103269	JSP20	\$24.99

JENSEN® MRH-211 HOUSING

Waterproof. Smoke-colored windows. Support shelf in rear for radio. UV-resistant. Spring-loaded flip-up door. Dimensions: Mounting - 9"Wx2-1/2"H. Overall size: 9-5/8"Wx4-3/8"H.



Order #	Mfg. #	Color	Sugg.Ret.
5102479	MRH211W	White	\$15.99

JENSEN® MGH300 HOUSING


Gimbal mount, water-resistant housing. Holds standard DIN size stereo with extra side pocket for iPod® or MP3 player. Simple bracket design. Single piece front door. DIN stereo compatibility. Wide, adjustable side brackets. Rear rubber support for stereo security. UV stable plastic. Dimensions Without Bracket: 10.17"Wx3.34"Hx9.75"D. Dimensions With Bracket: 11.43"Wx5.25"Hx9.75"D.



Order #	Mfg. #	Sugg.Ret.
5102480	MGH300	\$41.99

JENSEN® AM/FM AMPLIFIED ANTENNA

Marine grade hidden antenna. Mounts easily using adhesive foam strips and works great in marine applications. Includes 7" cable. Dim.: 14-1/2"Hx7/8"Wx3/4"D



Order #	Mfg. #	Sugg.Ret.
5102797	AN150SR	\$16.99

JENSEN® JPORT™ JACK AND 1/8" AUXILIARY INPUT JACK

Provides direct audio interface between iPod® or MP3 player headphone output and stereos. 9' cable included.



Order #	Mfg. #	Sugg.Ret.
5102481	JPORT	\$14.99

JENSEN® iPOD® INTERFACE

Compatible with the JMS Series. Plugs directly into the rear of the stereo and iPod.



Order #	Mfg. #	Sugg.Ret.
5103268	JDABIPDL	\$23.99

JENSEN® iPOD® INTERFACE CABLE

12 ft. Long. White. Compatible With the following JENSEN iPod Ready Stereos ONLY.



Order #	Mfg. #	Sugg.Ret.
5102798	JIPDCBL12	\$21.99

JENSEN® USB INTERFACE & AUX INPUT JACK

USB port allows for connection of external storage device - 1/8" audio jack allows input of any MP3 Player or external audio device. Waterproof cover. 10" cable length



Order #	Mfg. #	Sugg.Ret.
5103108	JENAUUX	\$23.99

LOWRANCE®

Seize the Day

LOWRANCE® sonichub™ MARINE AUDIO SERVER

High-quality marine audio hub & fully waterproof docking station w/full iPod, iPhone & MP3 compatibility, all controlled from compatible Lowrance® HDS® or Simrad multifunction displays. Fully integrate w/HDS® multifunction displays by the use of NMEA 2000® or LowranceNET. Control on-board music components from the steering position or elsewhere on the boat. Features: 4-Channel x 50 watt speaker amplifier & AM/FM stereo tuner; Line-out to subwoofer for added bass; Excellent sound quality; 1-Pair of 6.5" marine-grade, low magnetic speakers w/200W output; Numerous audio source inputs including Apple products along w/other MP3 sources via USB port & flash drive; Stereo AUX line input for CD/DVD/MP3 source; Mono line input for intercom, alarm & emergency override; Music control for up to two individual zones; Built-in module for SIRIUS satellite radio marine weather service (USA only). Includes: Hardware mounting kit; Installation manual; Warranty. NOTE: AM/FM antenna not supplied



Order #	Mfg. #	Sugg.Ret.
5103181	000-10141-001	\$298.99
6.5" MARINE-GRADE SPEAKER SET (200W)		
5103182	000-10142-001	59.99



MILLENNIA PRV16 AM/FM MULTIMEDIA RECEIVER

4x40 watts. Solid aluminum chassis. Aux-in. Portable-media ready. USB input. ASTM 117 salt fog. 3-1/4" hole cut-out. Fits in a standard tachometer opening.



Order #	Mfg. #	Sugg.Ret.
5103446	MIL-PRV16	\$109.99

MILLENNIA MPK16 AM/FM MULTIMEDIA RECEIVER & SPEAKERS

Contains PRV16 AM/FM Multimedia Receiver and two SPK652BB speakers. **Receiver:** 4x40 watts. Solid aluminum chassis. Aux-in. Portable-media ready. USB input. ASTM 117 salt fog. 3-1/4" hole cutout. Fits in a standard tachometer opening. **Speakers:** 150 watt 6-1/2" coaxial marine. 20mm tweeter. All molded waterproof. UV protected. Installation size: 5-1/4"Wx5-1/4"Hx2-1/2"D. Overall size: 7-1/8"Wx7-1/8"Hx3-1/4"D.



Order #	Mfg. #	Sugg.Ret.
5103447	MIL-MPK16	\$113.99

new

MILLENNIA PRV21 AM/FM BLUETOOTH® MULTIMEDIA RECEIVER

Bluetooth® audio streaming. 4x45 watts. Solid aluminum chassis. Aux-in. Portable-media ready. USB input. ASTM 117 salt fog. IP66 waterproof face. RF remote ready. Comes w/flush-face mounting kit. Size: 6"Lx4"Wx2-1/2"D.



Order #	Mfg. #	Sugg.Ret.
5103448	MIL-PRV21	\$179.99

new

MILLENNIA MPK21 AM/FM BLUETOOTH® MULTIMEDIA RECEIVER & SPEAKERS

Contains PRV21 AM/FM Multimedia Receiver and two SPK652BB speakers. Receiver: Bluetooth® audio streaming. 4x45 watts. Solid aluminum chassis. Aux-in. Portable-media ready. USB input. ASTM 117 salt fog. IP66 waterproof face. RF remote ready. Comes w/flush-face mounting kit. Size: 6"Lx4"Wx2-1/2"D. **Speakers:** Integral grill, all plastic. 6-1/2" marine coaxial. 150 watts.



Order #	Mfg. #	Sugg.Ret.
5103449	MIL-MPK21	\$199.99



MILLENNIA MIL-MR-60 AM/FM MULTIMEDIA RECEIVER

Features: 4x40 watts, pre-outs, rotary encoder, portable media ready, USB, & Aux-in (front), bass/treble, balance controls, electronic volume, random/repeat play, intro scan, beep-tone-support, & detachable control panel. Installation size: 7-1/8"Wx2-1/8"Hx4-1/4"D. Overall size: 7-3/8"W x 2-1/4"Hx5-1/8"D. Does not include cd mechanism. Color: black.

Order #	Mfg. #	Sugg.Ret.
5103336	MIL-MR60	\$99.99



MILLENNIA AM/FM/CD RECEIVER

AM/FM/CD stereo receiver. 4x45 Watts. USB, SD, & aux-in front inputs. Electronic Shock Protection (ESP). Detachable control panel. Rotary encoder. Bass/treble & balance controls. Intro scan. Random/repeat play. Installation size: 7-1/8"W x 2-1/8"H x 6-3/4"D.

Order #	Mfg. #	Sugg.Ret.
5103114	MILMR380	\$148.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



MILLENNIA 2x50 WATT MINI AMPLIFIER

Adjustable controls. Dimensions: 4-1/2"L x 3"W x 1-1/2"H.

Order #	Mfg. #	Sugg.Ret.
5103112	MILMA100	\$49.99



MILLENNIA MIL-SPK552 MARINE SPEAKERS

5" coaxial marine. 100 watts. UV protected. Installation size: 4-1/4". Overall size: 5-3/4". Sold in pairs.

Order #	Mfg. #	Color	Sugg.Ret.
5103450	MIL-SPK552B	Black	\$49.99
5103451	MIL-SPK552W	White	49.99



MILLENNIA MIL-SPK 652 MARINE SPEAKERS

150 Watt, 6.5" coaxial speakers feature 20mm tweeter, All-molded waterproof design, & UV Protection. Installation size: 5-1/4"Wx2-1/2"Dx5-1/4"H. Overall size: 7-1/8"Wx3-1/4"Dx7-1/8"H.

Order #	Mfg. #	Color	Sugg.Ret.
5103332	MIL-SPK652B	Black	\$69.99
5103333	MIL-SPK652W	White	69.99



POLY-PLANAR® MRD-80 MARINE STEREO RECEIVER

Full-featured, IP66 Waterproof stereo receiver designed specifically for the marine environment. Sirius Satellite Radio receiver comes built-in to all units. Features: 4-Channel x 45 Watt power out; Adjustable backlight on display; Rotary encoder style volume knob & function select knob; Selectable powered sub channel output; IR input - unit will interface w/PolyPlanar IR remote, IR receiver on face; Aux in, fixed line out, sub out, Sirius connection, iPod connection, USB output, wired remote cables, front/rear variable line out, SD card reader; Selectable EQ setup so user can select best audio setting for particular speakers; Closed cell foam gasket; Gimbel mount option (No covers or additional mounting boxes are required for installation). 2x16 Character digital display; Sun/dust cover for front face; PCB coating for resistance to moisture; Flip-down face for SD card, CD deck, or iPod dock (if MRD-80I) access; AM/FM frequencies adaptable to US & European markets; CD deck function stops when face is down; RDS enabled; Preset memory & last setting on power down (Same mode when powered on. Dimensions: Cutout - 2-1/8" x 7" x 7-1/4"; Face - 7-1/8" x 3-1/8".

Order #	Mfg. #	Type	Sugg.Ret.
5103213	MRD-80C	CD Player	\$420.99
5103214	MRD-80I	Internal iPod Dock	368.99

POLY-PLANAR® MR45 MARINE STEREO RECEIVER

Full-featured stereo receiver designed specifically for the marine environment. MP3/WMA compatible. Includes music scan. Tuner features: 12 AM presets (AM-1, AM-2); 18 FM presets (FM-1, FM-2, FM-3); 18 Sirius presets (SR-1, SR-2, SR-3); Switchable USA/European tuner. Audio features: Bass/treble; Balance, fader; Equalizer (DSP); 4 x 45 Watt output power. Protection features: ASTM-UV compliant; Conformal coated PCBs; Transport gasket protection; Mounting gasket seal; Chassis drip shield. Other features: Aux input (2 Aux in - front & rear), IR input 3.5m; Aux outputs (subwoofer out & 2-Line outs); External media control (iPod control & USB). Dimensions: Cutout - 7" x 2"; Install depth from mounting surface - 6.50".

Order #	Mfg. #	Color	Sugg.Ret.
CD/CD-R/CD-RW COMPATIBLE, SIRIUS-READY			
5103202	MR45S-B	Black	\$247.99
5103203	MR45S-W	White	247.99
CD/CD-R/CD-RW COMPATIBLE, NO SIRIUS			
5103204	MR45C-B	Black	220.99
5103205	MR45C-W	White	220.99
DIGITAL ONLY, SIRIUS-READY			
5103206	MR45-D	White	184.99
DIGITAL ONLY, SIRIUS-READY, SPLASH COVER, & ONE PAIR OF 6" FLUSH MOUNT SPEAKERS (MA206LW)			
5103207	MR45DW-CPAK	White	232.99



POLY-PLANAR® MR45R WIRED REMOTE w/LCD DISPLAY

Designed for use w/MR45, MRD80 & MRD80I marine stereo receivers. Digital display w/ backlight. 1-Year Warranty. Extension cable sold separately.

Order #	Mfg. #	Sugg.Ret.
5103208	MR45R	\$85.99



POLY-PLANAR® WIRED REMOTE EXTENSION CABLE

Extension cable for wired remote control (MRR-7).

Order #	Mfg. #	Length	Sugg.Ret.
5103210	CMR-60	60'	\$39.99
5103211	CMR-20	20'	24.99
5103212	CMR-10	10'	19.99



POLY-PLANAR® 4000 SERIES ULTRA-LOW MAG- NETIC FIELD SPEAKERS

Round, integral grill speakers. Use above or below deck. 1-piece installation. SS mounting hardware included. Combines midrange polycarbonate cone w/1" mylar tweeter for full range frequency response. 80 watts peak power per pair (40 watts RMS). Ultra-low magnetic field eliminates speaker magnets affecting navigation equipment. Teflon®-coated wires. Plastic grills. Polypropylene cones, frames. Waterproof. Sold as a pair.

Order #	Mfg. #	Main Cone	Outside Dia.	Cutout Dia.	Cutout Depth	Sugg.Ret.
2-WAY COAXIAL SPEAKERS						
5101254	MA4054	4"	5-1/4"	4-1/8"	2"	\$87.99
5101253	MA4056	6"	7-1/8"	6"	2-1/2"	113.99
DUAL CONE SPEAKERS						
5102145	MA-4600	6"	7-1/8"	5-5/8"	2"	81.99





POLY-PLANAR® MA800 BOX SPEAKER

Compact, 2-way speaker. Vented port & bass reflex design. Easy mounting without cutting holes, using 360° gimbal mounting brackets. SS grill. Polypropylene cones. Heavy-duty ABS housing. Non-corroding mounting bracket. Corrosionproof. 60 Hz-20 kHz. 100 watts per pair. Impedance: 4 ohms. 10' lead wires, non-ferrous mounting brackets. Dim.: 5"x7-1/2"x5". Waterproof.. Sold as a pair.

Order #	Mfg. #	Sugg.Ret.
5101255	MA800	\$164.99



POLY-PLANAR® MA840 BOX SPEAKER

Sub-compact. Dual-cone design with 3" main cone. Polypropylene cones. Heavy-duty ABS housing. SS grills & brackets. Corrosionproof. 40 watts/speaker. Impedance: 4 ohms. Dim.: 4"x4-1/4"x4-1/2". Waterproof. Sold as a pair.

Order #	Mfg. #	Sugg.Ret.
5101257	MA840W	\$99.99



POLY-PLANAR® MA1610 PREMIUM

Mild power, 2-way speakers. Use as freestanding enclosed speakers or remove back cover and mount speakers as a flush model. Waterproof. Sold in pairs. White.

Order #	Mfg. #	Sugg.Ret.
5102147	MA-1610	\$157.99



POLY-PLANAR® MA-3030 3" 2-WAY BOX SPEAKER

Completely waterproof. Powder coated stainless bracket. Gold-plated binding posts. Powder coated aluminum grill. Impedance: 4 ohms. 60 watts per speaker. Dimensions: 6-1/2"Lx3-7/8"Wx4-1/4"D. Mounting hardware and speaker wire included.

Order #	Mfg. #	Color	Sugg.Ret.
5102541	MA-3030W	White	\$159.99



POLY-PLANAR® MA-3013 3" SPEAKER

3", 60 watt, flush mount, midrange speaker. Low magnetic field. Waterproof construction throughout. Meets or exceeds 600hrs ASTM UV & Salt Spray Test. Powder coated aluminum grill. Quick connect terminals. Impedance: 4 ohms. Each weighs 8 ozs. Dimensions: 1-1/2" Mounting Depth, 3-5/2" Outside Grill, 2-7/8" Cutout. Mounting hardware & speaker wire included.

Order #	Mfg. #	Color	Sugg.Ret.
5102542	MA-3013W	White	\$53.99



POLY-PLANAR® MA6900 PLATINUM SERIES

High-power, 3-way coaxial, oval speaker. Full 200 watts per speaker. Specially coated wires. SS grill. Main & mid-range polypropylene cones. Mylar tweeter. UV stabilized plastic frame. SS mounting hardware included. Impedance: 4 ohms. 6"x9" oval, 3-1/4" deep cutout. Waterproof. Sold in pairs. White.

Order #	Mfg. #	Sugg.Ret.
5101258	MA6900	\$316.99



POLY-PLANAR® MA7500 COMPACT BOX SPEAKER

Contemporary design, 100 watts/ pair. 5"x7" box speakers. Sold in pairs. Coated internal wiring for long life. SS grill stands up to harsh marine effects. Polypropylene cones. Heavy-duty ABS plastic frames. Compact bracket mount will fit almost anywhere. Max. RMS power: 35. Max. peak power: 70 Main Cone Size: 31. Configuration: 2 way.

Order #	Mfg. #	Sugg.Ret.
5102313	MA7500W	\$184.99



POLY-PLANAR® MA9060 BOX SPEAKER

Full size, 2-way speaker. Vented port design. Polycarbonate gimbal mounting brackets included. 5-1/4" polypropylene main cone. Low magnetic field. 100 watts per speaker. Impedance: 4 ohms. Dim.: 6"x9"x6". Waterproof. Sold as a pair.

Order #	Mfg. #	Sugg.Ret.
5101256	MA9060	\$289.99



POLY-PLANAR® RM-10 OVERHEAD/UNDER DASH STEREO HOUSING

Designed to accommodate today's larger front panel format Marine radios as well as older DIN style and Post mount. UV stabilized ABS housing. Can be installed overhead or under dash. Accepts Poly-Planar and most other brands of stereos. Mounting hardware included.

Order #	Mfg. #	Sugg.Ret.
5103057	RM10	\$27.99



POLY-PLANAR® SUBWOOFER AMP COMBO

Combo includes: MS-55 compact box subwoofer & ME51 amplifier. Compact. Dual voice coil, high-excursion, 5.25" woofer. High density, UV stable enclosure. Water resistant. Bass-reflex, high efficiency acoustic design. Side vented output ports. Compact size & molded-in mounts provide for convenient installation nearly anywhere. Acoustically matched with the ME51.

Order #	Mfg. #	Sugg.Ret.
5102314	MS551	\$269.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



POLY-PLANAR® SPLASH COVERS

Gasketed covers are designed to protect stereos from harsh marine elements. Both models accommodate dual post, removable & DIN-style stereos.

Order #	Mfg. #	Type	Sugg.Ret.
5102146	WC-3	Panel Mount	\$27.99
5101259	WC-400	Enclosure	74.99

POLY-PLANAR® IC-3.5PM MP3 ADAPTER

Connect MP3 player, iPod® or satellite radio to any audio device w/RCA inputs. Waterproof panel/dash mount w/rubber cover & 4' extension cable. Rubber plug keeps water out when not in use. 4' long 3.5mm to 3.5mm stereo headphone jack extension cord included. Install with 3/4" paddle drill bit.

Order #	Mfg.#	Sugg.Ret.
5102315	IC-3.5PM	\$34.99



new SEA-DOG® MICROPHONE CLIP

Injection molded nylon. Two #8 fasteners included.

Order #	Mfg. #	Sugg.Ret.
5103484	329995-1	\$4.99



new SEAWORTHY SEA SHIP 100

Contains SEA 100 Marine Multimedia Receiver & 4 SEA 5632 6-1/2" speakers. Receiver: Includes 40Wx4 output, AM/FM, front auxilliary input, front USB and front SD. Speakers feature: integral grill, all plastic, 10 oz. coaxial w/1" tweeter, 100 watts per channel. Installation size: 5-1/4"Wx2-3/8"Dx5-1/4"H. Overall size: 6-1/2"Wx3-1/8"Dx6-1/2"H. Coaxial.

Order #	Mfg. #	Sugg.Ret.
5103454	SEASHIP100	\$129.99



SEAWORTHY RADIO COVER RTR 500/600

Manual opening, recessed radio cover. Dark tinted curved retracting shield. Hidden mounting screws. Mounting Dimensions: Opening - 8-3/8"Wx3-3/8"H; Outside Dimensions - 9-1/4"Wx4-1/4"H.

Order #	Mfg. #	Color	Sugg.Ret.
5102791	SEATRT600B	Black	\$18.99



SEAWORTHY RADIO COVER-RTR 5200

Auto-opening door with flush mount. Lexan® cover. Fits shaftless radio. Removable trim ring. Blister pack.

Order #	Mfg. #	Finish	Sugg.Ret.
5102027	RTR5200B-BL	Black	\$33.99
5102028	RTR5200W-BL	White	33.99



SEAWORTHY STEREO COVER w/MANUAL OPENING DOOR

Features Lexan cover. Fits shaftless radio. Fits single din radios.

Order #	Mfg. #	Color	Sugg.Ret.
5103334	SEATR700B	Black	\$21.99
5103335	SEATR700W	White	21.99



SEAWORTHY UNDER PANEL MOUNT

Universal shafted or shaftless. Dimensions: 9-15/16"Wx9-1/4"Dx3-1/2"H.

Order #	Mfg. #	Color	Sugg.Ret.
5101306	SEAHOS	Black	\$19.99



SEAWORTHY MINI PLUG

Can be used to plug in MP3 player, laptop computer, VHF radio, Satellite radio. 72" cord. Plugs into the back of most JBL & Seaworthy radios.

Order #	Mfg. #	Sugg.Ret.
5102781	SEAMINI2	\$12.99



SEAWORTHY RUBBER ANTENNA

16-1/2" with 180° swivel base. 54" cable. Blister pack.

Order #	Mfg. #	Color	Sugg.Ret.
5102030	SEAURB3S	Black	\$9.99
5102031	SEAURB3SW	White	9.99



SeaWorthy

NOTES

SEAWORTHY SEA/KL-9 ANTENNA

Fully retractable antenna. 31", 4-section SS mast. 1-1/2" mounting base, 8-1/2" mounting depth. 48" cable length. 1-1/8" mounting hole.



Order #	Mfg. #	Sugg.Ret.
5101308	SEAKL9	\$5.99

SEAWORTHY 22" ANTENNA

22" antenna w/plug. 31.25" wire extension.



Order #	Mfg. #	Sugg.Ret.
5103322	SEADP36AXT	\$5.99

SIMRAD



SIMRAD® SONIC HUB™ PACK

Complete marine-grade audio system operated from Simrad NSO computer or NSE displays through SimNet. Features 4x50W amplifier & consolidates multiple input/output sources. Enjoy loud & clear music from Apple iPod, iPhone, iTouch, USB flash drive (MP3), built-in global AM/FM radio, Sirius satellite radio (US only). Dock provides a safe waterproof spot for your Apple product w/full operational control & charging. SubWoofers line out. Zone-control enables adjustment of audio for up to 3 speaker zones. Video from iPhone or iTouch is available on NSE. SonicHub Video is not compatible with NSO15 or Simrad DI Model Monitors. Pack includes server & dock.

Order #	Mfg. #	Sugg.Ret.
5103390	000-10143-001	\$349.99

**PRICES ARE SUBJECT TO
CHANGE WITHOUT NOTICE**

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

NOTES

Trolling Motors	
Audio/ Instruments	
Depth Finders/GPS	
Vests/ Cushions	
Water Sports	
Safety/ Optics	
Boat Access.	
Mooring/ Docking	
Hardware	
Lighting	
Boat Seats	
Boat Covers	
Fuel	
Trailers/ ATV Access.	
Pumps	
Electrical	
Maintenance	
Controls/ Steering	
Motor Access.	
Camping	
Cutlery	